

**Avis et communications**  
**de la**  
**Direction générale des douanes et droits indirects**

Avis aux importateurs  
de  
certains produits agricoles et industriels admissibles au bénéfice de suspensions et contingents  
tarifaires autonomes

Afin d'assurer un approvisionnement suffisant et continu de certains produits agricoles et industriels qui ne sont pas disponibles ou dont la production est trop faible dans l'Union, les droits autonomes du tarif douanier commun sur ces produits ont été suspendus par les règlements (UE) 1387/2013 et 1388/2013 (JO L354 du 28.12.2013)<sup>1</sup>. Ces produits peuvent être importés dans l'Union européenne à des taux de droit de douane réduits ou nuls.

Lorsqu'une suspension tarifaire autonome entre en vigueur, elle reste valable cinq ans renouvelables (ou jusqu'à ce qu'une entreprise européenne s'oppose à sa reconduction). Dans le but de s'assurer de l'utilisation suffisante (au-delà des 15 000 euros de droits de douane économisés par an), la Commission européenne procède à un suivi statistique.

L'attention des importateurs est appelée sur la publication, à la fin de cet avis, du résultat de cette étude pour le cycle de janvier 2022 :

- La liste « verte » reprend les suspensions tarifaires reconduites automatiquement compte tenu des montants de droits économisés par les entreprises (sauf en cas d'opposition économique).
- La liste « rouge » reprend les suspensions qui ne dépassent pas le seuil des 15 000 euros d'économie de droits de douane et nécessitent l'envoi d'une demande de prolongation<sup>2</sup> à la Commission ; à défaut, ces mesures seront supprimées.

Aussi, compte-tenu du retrait du Royaume-Uni de l'UE, certaines suspensions non renouvelées par la délégation britannique sont susceptibles d'être supprimées au 1<sup>er</sup> janvier 2022. Les importateurs transformateurs de l'Union qui souhaitent maintenir ces mesures devront déposer une demande de prolongation<sup>2</sup> en précisant les transformations du produit importé et les coordonnées de l'usine<sup>3</sup>.

Les entreprises utilisatrices d'une suspension non renouvelée peuvent demander le maintien de cette mesure en adressant un formulaire de prolongation<sup>2</sup>, dûment rempli, au bureau de la politique tarifaire et commerciale de la DGDDI à l'adresse suivante :

[dg-comint3-suspensions@douane.finances.gouv.fr](mailto:dg-comint3-suspensions@douane.finances.gouv.fr), **avant le 10 avril 2021.**

---

1 Modifiés par les règlements (UE) 2020/2231 (JO L437 du 28.12.2020) et 2020/2230 (JO L437 du 28.12.2020)

2 <https://www.douane.gouv.fr/demarche/beneficier-dune-suspension-ou-dun-contingent-tarifaire-autonome> (rubrique Formulaires)

3 Ces informations pourront être ajoutées dans la partie II du formulaire

## Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

**≥15 000 / liste verte**

*La mesure sera prolongée automatiquement (si elle ne fait l'objet d'aucune opposition).*

**<15 000 / liste rouge**

*La mesure n'est pas utilisée au delà des 15 000 euros de droits de douane économisés par an et sera supprimée au 1<sup>er</sup> janvier 2022 si aucune demande de prolongation n'est formulée.*

**Suspension supprimée en l'absence de demande de prolongation**

*Suite au Brexit, la mesure n'a pas fait l'objet de prolongation et sera supprimée fin 2021 si aucune demande de prolongation n'est déposée par un importateur transformateur européen.*

Numéro TAXUD de la mesure	Code TARIC	Libellé (en anglais)	Statut
1617/4/1989, 942/06, 943/06	0711590011	Mushrooms, excluding mushrooms of the genera Agaricus, Calocybe, Clitocybe, Lepista, Leucoagaricus, Leucopaxillus, Lyophyllum and Tricholoma, provisionally preserved in brine, in sulphur water, or in other preservative solutions, but unsuitable in that state for immediate consumption, for the food-canning industry	≥15000 / liste verte
1/1/1999	1511901920, 1511909120, 1513111020, 1513193020, 1513211020, 1513293020	Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of: industrial monocarboxylic fatty acids of subheading 3823 19 10, methyl esters of fatty acids of heading 2915 or 2916, fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, stearic acid of subheading 3823 11 00, goods of heading 3401, or fatty acids with high purity of heading 2915	≥15000 / liste verte
833/06	1517909910	Vegetable oil, refined, containing by weight 25 % or more but not more than 50 % arachidonic acid or 12 % or more but not more than 65 % docosahexaenoic acid and standardized with high oleic sunflower oil (HOSO)	≥15000 / liste verte
974/06	2009897920	Frozen boysenberry juice concentrate with a Brix value of 61 or more, but not more than 67, in immediate packings of a content of 50 litres or more	<15000 / liste rouge
265298/2011	2009897985	Acai berry juice concentrate: of the species Euterpe oleracea, frozen, not sweetened, not in powder form, of a Brix value of 23 or more but not more than 32, in immediate packings of a content of 10 kg or more	≥15000 / liste verte
948/06	2009899996	Coconut water unfermented, not containing added spirit or sugar, and in immediate packing of a content of 20 litres or more	≥15000 / liste verte
295926/2011	2106909245	Preparation containing by weight: more than 30 % but not more than 35 % liquorice extract, more than 65 % but not more than 70 % tricaprilyn, standardised by weight to 3 % or more but not more than 4 % glabridin	<15000 / liste rouge
254871/2011	2519901010	Fused magnesia with a purity by weight of 94 % or more	≥15000 / liste verte
1003637/2011	2811198020	Hydrogen iodide (CAS RN 10034-85-2)	Suspension supprimée en l'absence de demande de prolongation
1010686/2011	2819909010	Dichromium trioxide (CAS RN 1308-38-9) for use in metallurgy	≥15000 / liste verte
0218/00/1998	2825300000	Vanadium oxides and hydroxides	≥15000 / liste verte
1242450/2016	2825700010	Molybdenum trioxide (CAS RN 1313-27-5)	≥15000 / liste verte
5559884/2016	2825700020	Molybdic Acid (CAS RN 7782-91-4)	≥15000 / liste verte
3436/06	2827398520	Antimony pentachloride (CAS RN 7647-18-9) of a purity by weight of 99 % or more	≥15000 / liste verte
631004/2010	2833298030	Zirconium sulphate (CAS RN 14644-61-2)	Suspension supprimée en l'absence de demande de prolongation
829/06	2837200010	Tetrasodium hexacyanoferrate (II) (CAS RN 13601-19-9)	≥15000 / liste verte
1242523/2016	2841700040	Diammonium dimolybdate (CAS RN 27546-07-2)	≥15000 / liste verte
1345815/2016	2842100040	Aluminosilicate (CAS RN 1318-02-1) with a zeolite structure of Aluminophosphate-eighteen (AEI) for use in the manufacture of catalytic preparations	Suspension supprimée en l'absence de demande de prolongation
3427/06	2845909010	Helium-3 (CAS RN 14762-55-1)	≥15000 / liste verte
3426/06	2845909030	( 13 C)Carbon monoxide (CAS RN 1641-69-6)	≥15000 / liste verte
964050/2011	2850002040	Germanium tetrahydride (CAS RN 7782-65-2)	≥15000 / liste verte
978318/2011	2903393910	Perfluoro(4-methyl-2-pentene) (CAS RN 84650-68-0)	<15000 / liste rouge
808/06	2903393930	Hexafluoropropene (CAS RN 116-15-4)	Suspension supprimée en l'absence de demande de prolongation

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

219178/2011	2903779010	Chlorotrifluoroethylene (CAS RN 79-38-9)	≥15000 / liste verte
1338499/2016	2905110020, 2905190035	Methyl methanesulphonate (CAS RN 66-27-3)	<15000 / liste rouge
5450710/2016	2905220020	3,7-Dimethyloct-6-en-1-ol (CAS RN 106-22-9)	≥15000 / liste verte
265404/2011	2905399530	2,4,7,9-Tetramethyl-4,7-decanediol (CAS RN 17913-76-7)	≥15000 / liste verte
237127/2011	2907159010	2-Naphthol (CAS RN 135-19-3)	≥15000 / liste verte
1003563/2011	2907290045	2-Methylhydroquinone (CAS RN 95-71-6)	Suspension supprimée en l'absence de demande de prolongation
878/06	2909199050	3-Ethoxy-perfluoro-2-methylhexane (CAS RN 297730-93-9)	≥15000 / liste verte
1004860/2011	2909200010	8-Methoxycedrane (CAS RN 19870-74-7)	Suspension supprimée en l'absence de demande de prolongation
960804/2011	2909303820	1,1'-Propane-2,2-diylbis[3,5-dibromo-4-(2,3-dibromopropoxy)benzene] (CAS RN 21850-44-2)	≥15000 / liste verte
5531326/2016	2909309015	{[(2,2-dimethylbut-3-yn-1-yl)oxy]methyl}benzene (CAS RN 1092536-54-3)	≥15000 / liste verte
5450733/2016	2909309025	1,2-Diphenoxyethane (CAS RN 104-66-5) in the form of powder or as an aqueous dispersion containing by weight 30 % or more but not more than 60 % of 1,2-diphenoxyethane	≥15000 / liste verte
1248461/2016	2909309070	O,O,O -1,3,5-trimethylresorcinol (CAS RN 621-23-8)	≥15000 / liste verte
1338664/2016	2909309080	Oxyfluorfen (ISO) (CAS RN 42874-03-3) with a purity by weight of 97 % or more	Suspension supprimée en l'absence de demande de prolongation
3944796/2015	2909498010	1-Propoxypropan-2-ol (CAS RN 1569-01-3)	Suspension supprimée en l'absence de demande de prolongation
1145/2007	2910900080	Allyl glycidyl ether (CAS RN 106-92-3)	≥15000 / liste verte
5450756/2016	2912190010	Undecanal (CAS RN 112-44-7)	≥15000 / liste verte
1174482/2016	2912290015	2,6,6-Trimethylcyclohexenecarbaldehyde (alpha-beta isomers mixture) (CAS RN 52844-21-0)	≥15000 / liste verte
1174458/2016	2912290025	Mixture of isomers consisting of: 85 (± 10) % by weight of 4-isobutyl-2-methylbenzaldehyde (CAS RN 73206-60-7) 15 (± 10) % by weight of 2-isobutyl-4-methylbenzaldehyde (CAS RN 68102-28-3)	<15000 / liste rouge
1008909/2011	2914290050	trans -β-Damascone (CAS RN 23726-91-2)	Suspension supprimée en l'absence de demande de prolongation
1003548/2011	2914500040	4-(4-Hydroxyphenyl)butan-2-one (CAS RN 5471-51-2)	Suspension supprimée en l'absence de demande de prolongation
1338600/2016	2914500085	4,4'-Dihydroxybenzophenone (CAS RN 611-99-4)	<15000 / liste rouge
1003573/2011	2914698040	p -Benzoquinone (CAS RN 106-51-4)	Suspension supprimée en l'absence de demande de prolongation
124160/2010	2914790060	4'- tert -Butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (CAS RN 81-14-1)	Suspension supprimée en l'absence de demande de prolongation
1338555/2016	2914790065	1,4-bis(4-Fluorobenzoyl) Benzene (CAS RN 68418-51-9)	<15000 / liste rouge
249160/2011	2914790070	4-Chloro-4'-hydroxybenzophenone (CAS RN 42019-78-3)	≥15000 / liste verte
1338756/2016	2914790075	4,4'-Difluorobenzophenone (CAS RN 345-92-6)	<15000 / liste rouge
5651680/2016	2915120010	Aqueous solution containing by weight 60 % or more but not more than 84 % of caesium formate (CAS RN 3495-36-1)	<15000 / liste rouge
314777/2011	2915390075	Isobornyl acetate (CAS RN 125-12-2)	Suspension supprimée en l'absence de demande de prolongation
330666/2011	2915390080	1-Phenylethyl acetate (CAS RN 93-92-5)	Suspension supprimée en l'absence de demande de prolongation
238300/2011	2915907080	Ethyl difluoroacetate (CAS RN 454-31-9)	<15000 / liste rouge
1279605/2016	2916200015	Transfluthrin (ISO) (CAS RN 118712-89-3)	≥15000 / liste verte
1003616/2011	2916310010	Benzyl benzoate (CAS RN 120-51-4)	Suspension supprimée en l'absence de demande de prolongation
225249/2011	2916399015	2-Chloro-5-nitrobenzoic acid (CAS RN 2516-96-3)	≥15000 / liste verte
117276/2010	2916399025	2-Methyl-3-(4-Fluorophenyl)-propionyl chloride (CAS RN 1017183-70-8)	≥15000 / liste verte
5552271/2016	2916399033	Methyl 4'-(bromomethyl)biphenyl-2-carboxylate (CAS RN 114772-38-2)	<15000 / liste rouge
5450776/2016	2916399073	(2,4-Dichlorophenyl)acetyl chloride (CAS RN 53056-20-5)	≥15000 / liste verte
241178/2011	2918290060	Methyl-, ethyl-, propyl- or butyl esters of 4-hydroxybenzoic acid or their sodium salts (CAS RN 35285-68-8, 99-76-3, 5026-62-0, 94-26-8, 94-13-3, 35285-69-9, 120-47-8, 36457-20-2 or 4247-02-3)	≥15000 / liste verte

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

1336330/2016	2918300080	Methyl benzoylformate (CAS RN 15206-55-0)	≥15000 / liste verte
1242672/2016	2918999023	1,8-Dihydroxyanthraquinone-3-carboxylic acid (CAS RN 478-43-3)	<15000 / liste rouge
964063/2011	2918999080	Sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate (CAS RN 62476-59-9)	<15000 / liste rouge
964084/2011	2919900050	Triethyl phosphate (CAS RN 78-40-0)	≥15000 / liste verte
971/06	2920240000	Triethyl phosphite (CAS RN 122-52-1)	Suspension supprimée en l'absence de demande de prolongation
1279693/2016	2920290060	Fosetyl-sodium (CAS RN 39148-16-8) in form of an aqueous solution with a content by weight of fosetyl-sodium of 35 % or more but not more than 45 % for use in the manufacture of pesticides	<15000 / liste rouge
1362862/2016	2920901080	Sodium 2-[2-(2-tridecoxyethoxy)ethoxy]ethyl sulphate (CAS RN 25446-78-0) in the form of a liquid paste with a content by weight in water of 62 % or more but not more than 65 %	<15000 / liste rouge
1362726/2016	2921199945	2-Chloro- N -(2-chloroethyl)ethanamine hydrochloride (CAS RN 821-48-7)	≥15000 / liste verte
265433/2011	2921290050	N '-[3-(Dimethylamino)propyl]- N , N -dimethylpropane-1,3-diamine (CAS RN 6711-48-4)	≥15000 / liste verte
169088/2010	2921309930	1,3-Cyclohexanedimethanamine (CAS RN 2579-20-6)	<15000 / liste rouge
3432/06	2921511940	p -Phenylenediamine (CAS RN 106-50-3)	≥15000 / liste verte
5531479/2016	2922190040	(R)-1-((4-amino-2-bromo-5-fluorophenyl)amino)-3-(benzyloxy)propan-2-ol 4-methylbenzenesulphonate (CAS RN 1294504-64-5)	≥15000 / liste verte
1279635/2016	2922290073	Tris(4-aminophenyl) thiophosphate (CAS RN 52664-35-4)	≥15000 / liste verte
3962007/2015	2922498530	Aqueous solution containing 40 % by weight or more of sodium methylaminoacetate (CAS RN 4316-73-8)	Suspension supprimée en l'absence de demande de prolongation
1174545/2016	2922498535	2- (3-Amino-4-chloro-benzoyl) benzoic acid (CAS RN 118-04-7)	<15000 / liste rouge
1275028/2016	2922500010	2-(2-(2-Aminoethoxy)ethoxy)acetic acid hydrochloride (CAS RN 134979-01-4)	≥15000 / liste verte
1338852/2016	2923900055	Tetrabutylammonium bromide (CAS RN 1643-19-2)	Suspension supprimée en l'absence de demande de prolongation
1249517/2016	2924190045	3-Chloro- N -methoxy- N -methylpropanamide (CAS RN 1062512-53-1)	<15000 / liste rouge
1336385/2016	2924190055	2-Propynyl butylcarbamate (CAS RN 76114-73-3)	≥15000 / liste verte
975/06	2924190060	N,N -Dimethylacrylamide (CAS RN 2680-03-7)	≥15000 / liste verte
241889/2011	2924297027	2-Bromo-4-fluoroacetanilide (CAS RN 1009-22-9)	<15000 / liste rouge
5450799/2016	2924297030	Sodium 4-(4-methyl-3-nitrobenzoylamino)benzenesulphonate (CAS RN 84029-45-8)	≥15000 / liste verte
5227004/2016	2924297050	N-Benzyloxycarbonyl-L-tert-leucine isopropylamine salt (CAS RN 1621085-33-3)	<15000 / liste rouge
1008923/2011	2924297063	N -Ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide (CAS RN 39711-79-0)	Suspension supprimée en l'absence de demande de prolongation
243647/2011	2926907025	2,2-Dibromo-3-nitrilopropionamide (CAS RN 10222-01-2)	≥15000 / liste verte
5572875/2016	2926907030	4,5-Dichloro-3,6-dioxocyclohexa-1,4-diene-1,2-dicarbonitrile (CAS RN 84-58-2)	≥15000 / liste verte
1279741/2016	2926907035	4-Cyano-2-methoxybenzaldehyde (CAS RN 21962-45-8)	≥15000 / liste verte
1174566/2016	2926907040	2-(4-Cyanophenylamino)acetic acid (CAS RN 42288-26-6)	<15000 / liste rouge
3434/06	2926907061	m -(1-Cyanoethyl)benzoic acid (CAS RN 5537-71-3)	≥15000 / liste verte
1242892/2016	2928009028	Pentan-2-one oxime (CAS RN 623-40-5)	≥15000 / liste verte
1003526/2011	2928009030	N -Isopropylhydroxylamine (CAS RN 5080-22-8)	Suspension supprimée en l'absence de demande de prolongation
243676/2011	2928009075	Metaflumizone (ISO) (CAS RN 139968-49-3)	≥15000 / liste verte
300417/2011	2928009085	Daminozide (ISO) with a purity by weight of 99 % or more (CAS RN 1596-84-5)	Suspension supprimée en l'absence de demande de prolongation
303483/2011	2930200020	2-Isopropylethylthiocarbamate (CAS RN 141-98-0)	Suspension supprimée en l'absence de demande de prolongation
1008893/2011	2930909813	Mercaptamine hydrochloride (CAS RN 156-57-0)	Suspension supprimée en l'absence de demande de prolongation
314804/2011	2930909821	[2,2'-Thio-bis(4- tert -octylphenolato)]-n-butylamine nickel (CAS RN 14516-71-3)	Suspension supprimée en l'absence de demande de prolongation
	2930909835	Glutathione (CAS RN 70-18-8)	≥15000 / liste verte
3429/06	2930909878	4-Mercaptomethyl-3,6-dithia-1,8-octanedithiol (CAS RN 131538-00-6)	≥15000 / liste verte

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

1279784/2016	2930909885	2-Methyl-1-(methylthio)-2-propanamine (CAS RN 36567-04-1)	<15000 / liste rouge
887/06	2930909889	Potassium- or sodium-salt of O-ethyl-, O-isopropyl-, O-butyl-, O-isobutyl- or O-pentyl-dithiocarbonates	≥15000 / liste verte
1362812/2016	2930909893	1-Hydrazino-3-(methylthio)propan-2-ol (CAS RN 14359-97-8)	≥15000 / liste verte
1362547/2016	2930909895	N-(cyclohexylthio)phthalimide (CAS RN 17796-82-6)	≥15000 / liste verte
1338796/2016	2930909897	Diphenyl sulphone (CAS RN 127-63-9)	Suspension supprimée en l'absence de demande de prolongation
968701/2011	2931399013	Trioctylphosphine oxide (CAS RN 78-50-2)	≥15000 / liste verte
243702/2011	2931399040	Tetrakis(hydroxymethyl)phosphonium chloride (CAS RN 124-64-1)	≥15000 / liste verte
855/06, 879/06	2931900050	Trimethylsilane (CAS RN 993-07-7)	≥15000 / liste verte
3939533/2015	2931900063	Chloroethyldimethylsilane (CAS RN 1719-58-0)	Suspension supprimée en l'absence de demande de prolongation
3962068/2015	2931900065	Bis(4-tert-butylphenyl)iodonium hexafluorophosphate (CAS RN 61358-25-6)	Suspension supprimée en l'absence de demande de prolongation
249212/2011	2932190080	5-Nitrofurfurylidene di(acetate) (CAS RN 92-55-7)	≥15000 / liste verte
265449/2011	2932209015	Coumarin (CAS RN 91-64-5)	≥15000 / liste verte
977/06	2932209060	6'-(Diethylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one (CAS RN 29512-49-0)	≥15000 / liste verte
976/06	2932209071	6'-(Dibutylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one (CAS RN 89331-94-2)	≥15000 / liste verte
5572888/2016	2932990013	(4-Chloro-3-(4-ethoxybenzyl)phenyl)((3aS,5R,6S,6aS)-6-hydroxy 2,2-dimethyltetrahydrofuro[2,3-d][1,3]dioxol-5-yl)methanone (CAS RN 1103738-30-2)	≥15000 / liste verte
300480/2011	2932990015	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (CAS RN 1222-05-5)	Suspension supprimée en l'absence de demande de prolongation
5531421/2016	2932990018	4-(4-Bromo-3-((tetrahydro-2H-pyran-2-yloxy)methyl)phenoxy)benzoxonitrile (CAS RN 943311-78-2)	≥15000 / liste verte
1008940/2011	2932990020	Ethyl-2-methyl-1,3-dioxolane-2-acetate (CAS RN 6413-10-1)	<15000 / liste rouge
168692/2010	2932990050	7-Methyl-3,4-dihydro-2H-1,5-benzodioxepin-3-one (CAS RN 28940-11-6)	Suspension supprimée en l'absence de demande de prolongation
904/06	2932990070	1,3:2,4- bis-O -Benzylidene- D -glucitol (CAS RN 32647-67-9)	<15000 / liste rouge
806/06	2932990075	3-(3,4-Methylenedioxyphenyl)-2-methylpropanal (CAS RN 1205-17-0)	Suspension supprimée en l'absence de demande de prolongation
5450826/2016	2933199045	5-Amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile (CAS RN 120068-79-3)	≥15000 / liste verte
5552079/2016	2933199055	5-Methyl-1-(naphthalen-2-yl)-1,2-dihydro-3H-pyrazol-3-one (CAS RN 1192140-15-0)	<15000 / liste rouge
837/06	2933210050	1-Bromo-3-chloro-5,5-dimethylhydantoin (CAS RN 16079-88-2) / (CAS RN 32718-18-6)	≥15000 / liste verte
846/06	2933210060	DL- p -Hydroxyphenylhydantoin (CAS RN 2420-17-9)	≥15000 / liste verte
225267/2011	2933299060	1-Cyano-2-methyl-1-[2-(5-methylimidazol-4-ylmethylthio)ethyl]isothiurea (CAS RN 52378-40-2)	≥15000 / liste verte
5450845/2016	2933299075	2,2'-Azobis[2-(2-imidazolyl-2-yl)propane] dihydrochloride (CAS RN 27776-21-2)	≥15000 / liste verte
5552224/2016	2933399910	2-Aminopyridin-4-ol hydrochloride (CAS RN 1187932-09-7)	≥15000 / liste verte
239432/2009	2933399920	Copper pyrrithione powder (CAS RN 14915-37-8)	Suspension supprimée en l'absence de demande de prolongation
1338889/2016	2933399927	Pyridine-2,6-dicarboxylic acid (CAS RN 499-83-2)	Suspension supprimée en l'absence de demande de prolongation
1150602/2016	2933399929	3,5-Dichloro-2-cyanopyridine (CAS RN 85331-33-5)	<15000 / liste rouge
250727/2011	2933399932	2-(Chloromethyl)-3,4-dimethoxy pyridine hydrochloride (CAS RN 72830-09-2)	≥15000 / liste verte
5552032/2016	2933399933	5-(3-chlorophenyl)-3-methoxy pyridine-2-carbonitrile (CAS RN 1415226-39-9)	≥15000 / liste verte
243719/2011	2933399937	Aqueous solution of pyridine-2-thiol-1-oxide, sodium salt (CAS RN 3811-73-2)	≥15000 / liste verte
5552155/2016	2933399941	2-chloro-6-(3-fluoro-5-isobutoxyphenyl)nicotinic acid (CAS RN 1897387-01-7)	<15000 / liste rouge
5450881/2016	2933399946	Fluopicolide (ISO) (CAS RN 239110-15-7) with a content by weight of 97 % or more	≥15000 / liste verte
229742/2009	2933399947	(-)- trans -4-(4'-Fluorophenyl)-3-hydroxymethyl- N -methylpiperidine (CAS RN 105812-81-5)	≥15000 / liste verte

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

964100/2011	2933399970	2,3-Dichloro-5-trifluorométhylpyridine (CAS RN 69045-84-7)	≥15000 / liste verte
979935/2011	2933399972	5,6-Diméthoxy-2-[(4-piperidinyl)méthyl]indan-1-one (CAS RN 120014-30-4)	<15000 / liste rouge
1345853/2016	2933499025	Cloquintocet-mexyl (ISO) (CAS RN 99607-70-2)	Suspension supprimée en l'absence de demande de prolongation
852/06	2933520010	Malonylurea (barbituric acid) (CAS RN 67-52-7)	≥15000 / liste verte
1362772/2016	2933599587	5-Bromo-2,4-dichloropyrimidine (CAS RN 36082-50-5)	≥15000 / liste verte
1242965/2016	2933599589	6-Benzyladenine (CAS RN 1214-39-7)	≥15000 / liste verte
3959671/2015	2933698017	Benzoguanamine (CAS RN 91-76-9)	Suspension supprimée en l'absence de demande de prolongation
300539/2011	2933698040	Troclosene sodium (INN) (CAS RN 2893-78-9)	Suspension supprimée en l'absence de demande de prolongation
1099897/2016	2933790015	Ethyl N-(tert-Butoxycarbonyl)-L-pyrroglutamate (CAS RN 144978-12-1)	≥15000 / liste verte
250789/2011	2933998013	5-Difluorométhoxy-2-mercapto-1-H-benzimidazole (CAS RN 97963-62-7)	≥15000 / liste verte
1279891/2016	2933998034	2,4-Dihydro-5-méthoxy-4-méthyl-3 H -1,2,4-triazol-3-on (CAS RN 135302-13-5)	≥15000 / liste verte
1092596/2016	2933998036	3-Chloro-2-(1,1-difluoro-3-buten-1-yl)-6-méthoxyquinoxaline (CAS RN 1799733-46-2)	<15000 / liste rouge
1279983/2016	2933998038	(4a S ,7a S )-Octahydro-1 H -pyrrolo[3,4-b]pyridine (CAS RN 151213-40-0)	≥15000 / liste verte
1099939/2016	2933998039	O -(benzotriazol-1-yl)- N,N,N',N' -tetraméthyluronium tétrafluoroborate (CAS RN 125700-67-6)	<15000 / liste rouge
5552188/2016	2933998042	(S)-2,2,4-Triméthylpyrrolidine hydrochloride (CAS RN 1897428-40-8)	≥15000 / liste verte
5531366/2016	2933998044	(2S,3S,4R)-Méthyl 3-éthyl-4-hydroxypyrrolidine-2-carboxylate 4-méthylbenzenesulphonate (CAS RN 1799733-43-9)	<15000 / liste rouge
1242932/2016	2933998051	Diquat dibromide (ISO) (CAS RN 85-00-7) in aqueous solution for use in the manufacture of herbicides	<15000 / liste rouge
979311/2011	2933998067	Candesartan ethyl ester (INN) (CAS RN 139481-58-6)	≥15000 / liste verte
979/06	2933998081	1,2,3-Benzotriazole (CAS RN 95-14-7)	≥15000 / liste verte
246345/2011	2934100080	3,4-Dichloro-5-carboxyisothiazole (CAS RN 18480-53-0)	≥15000 / liste verte
255830/2011	2934208030	2-[[[Z]-[1-(2-Amino-4-thiazolyl)-2-(2-benzothiazolylthio)-2-oxoethylidene]amino]oxy]-acetic acid, methyl ester (CAS RN 246035-38-1)	<15000 / liste rouge
295939/2011	2934999023	Bromuconazole (ISO) with a purity by weight of 96 % or more (CAS RN 116255-48-2)	≥15000 / liste verte
250760/2011	2934999028	11-(Piperazin-1-yl)dibenzo[b,f][1,4]thiazepine dihydrochloride (CAS RN 111974-74-4)	≥15000 / liste verte
5501233/2016	2934999046	4-Méthoxy-5-(3-morpholin-4-yl-propoxy)-2-nitro-benzonitrile (CAS RN 675126-26-8)	<15000 / liste rouge
5450922/2016	2934999047	Thidiazuron (ISO) (CAS RN 51707-55-2) with a content by weight of 98 % or more	<15000 / liste rouge
981838/2011	2934999048	Propan-2-ol -- 2-méthyl-4-(4-méthylpiperazin-1-yl)-10 H -thieno[2,3-b][1,5]benzodiazepine (1:2) dihydrate (CAS RN 864743-41-9)	≥15000 / liste verte
5552312/2016	2934999049	Cytidine 5'-(disodium phosphate) (CAS RN 6757-06-8)	≥15000 / liste verte
5501295/2016	2934999053	4-Méthoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0)	<15000 / liste rouge
809/06	2934999075	(4 R-cis )-1,1-Diméthylethyl-6-[2[2-(4-fluorophenyl)-5-(1-isopropyl)-3-phenyl-4-[(phénylamino)carbonyl]-1 H -pyrrol-1-yl]éthyl]-2,2-diméthyl-1,3-dioxane-4-acétate (CAS RN 125971-95-1)	≥15000 / liste verte
821/06	2934999076, 3204200010	2,5-Thiophenediylbis(5- tert -butyl-1,3-benzoxazole) (CAS RN 7128-64-5)	≥15000 / liste verte
249194/2011	2935909023	N -[4-(2-Chloroacetyl)phényl]méthanesulphonamide (CAS RN 64488-52-4)	≥15000 / liste verte
294290/2011	2935909027	Méthyl (3R,5S,6E)-7-[4-(4-fluorophenyl)-6-isopropyl-2-[méthyl(méthylsulfonyl)amino]pyrimidin-5-yl]-3,5-dihydroxyhept-6-énoate (CAS RN 147118-40-9)	≥15000 / liste verte
5552111/2016	2935909030	6-Aminopyridine-2-sulfonamide (CAS RN 75903-58-1)	≥15000 / liste verte
981844/2011	2935909048	(3R,5S,6E)-7-[4-(4-Fluorophenyl)-2-[méthyl(méthylsulfonyl)amino]-6-(propan-2-yl)pyrimidin-5-yl]-3,5-dihydroxyhept-6-énoic acid -- 1-[(R)-(4-chlorophenyl)(phényl)méthyl]piperazine (1:1) (CAS RN 1235588-99-4)	≥15000 / liste verte

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

1099844/2016	2935909067	N -(2-phenoxyphenyl)methanesulphonamide (CAS RN 51765-51-6)	<15000 / liste rouge
858/06	2935909089	3-(3-Bromo-6-fluoro-2-methylindol-1-ylsulphonyl)- N,N -dimethyl-1,2,4-triazol-1-sulphonamide (CAS RN 348635-87-0)	≥15000 / liste verte
1289865/2016	2940000030	D(+)- Trehalose dihydrate (CAS RN 6138-23-4)	≥15000 / liste verte
246354/2011	2941203010	Dihydrostreptomycin sulphate (CAS RN 5490-27-7)	≥15000 / liste verte
1242692/2016	2942000010	Sodium triacetoxymethylborohydride (CAS RN 56553-60-7)	≥15000 / liste verte
1001767/2015	3201909040, 3202900010	Reaction product of Acacia mearnsii extract, ammonium chloride and formaldehyde (CAS RN 85029-52-3)	Suspension supprimée en l'absence de demande de prolongation
631007/2010	3204110020	Colourant C.I. Disperse Yellow 241 (CAS RN 83249-52-9) and preparations based thereon with a colourant C.I. Disperse Yellow 241 content of 97 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
247748/2011	3204110040	Colourant C.I. Disperse Red 60 (CAS RN 17418-58-5) and preparations based thereon with a colourant C.I. Disperse Red 60 content of 50 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
300340/2011	3204110050	Colourant C.I. Disperse Blue 72 (CAS RN 81-48-1) and preparations based thereon with a colourant C.I. Disperse Blue 72 content of 95 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
247805/2011	3204110060	Colourant C.I. Disperse Blue 359 (CAS RN 62570-50-7) and preparations based thereon with a colourant C.I. Disperse Blue 359 content of 50 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
989532/2011	3204120010	Colourant C.I. Acid Blue 9 (CAS RN 2650-18-2) and preparations based thereon with a colourant C.I. Acid Blue 9 content of 50 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
1174607/2016	3204120015	Colourant C.I. Acid Brown 75 (CAS RN 8011-86-7) and preparations based thereon with a colourant C.I. Acid Brown 75 content of 75 % or more by weight	≥15000 / liste verte
1174679/2016	3204120017	Colourant C.I. Acid Brown 355 (CAS RN 84989-26-4 or 60181-77-3) and preparations based thereon with a colourant C.I. Acid Brown 355 content of 75 % or more by weight	≥15000 / liste verte
1275088/2016	3204120025	Colourant C.I. Acid Black 210 (CAS RN 85223-29-6 or 99576-15-5) and preparations based thereon with a colourant C.I. Acid Black 210 content of 50 % or more by weight	≥15000 / liste verte
1174713/2016	3204120027	Colourant C.I. Acid Brown 425 (CAS RN 75234-41-2 or 119509-49-8) and preparations based thereon with a colourant C.I. Acid Brown 425 content of 75 % or more by weight	≥15000 / liste verte
1150396/2016	3204120035	Colourant C.I. Acid Black 234 (CAS RN 157577-99-6) and preparations based thereon with a colourant C.I. Acid Black 234 content of 75 % or more by weight	≥15000 / liste verte
1150455/2016	3204120037	Colourant C.I. Acid Black 210 sodium salt (CAS RN 201792-73-6) and preparations based thereon with a colourant C.I. Acid Black 210 sodium salt content of 50 % or more by weight	≥15000 / liste verte
1150528/2016	3204120045	Colourant C.I. Acid Blue 161/193 (CAS RN 12392-64-2) and preparations based thereon with a colourant C.I. Acid Blue 161/193 content of 75 % or more by weight	≥15000 / liste verte
1174590/2016	3204120047	Colourant C.I. Acid Brown 58 (CAS RN 70210-34-3 or 12269-87-3) and preparations based thereon with a colourant C.I. Acid Brown 58 content of 75 % or more by weight	≥15000 / liste verte
1174621/2016	3204120055	Colourant C.I. Acid Brown 165 (CAS RN 61724-14-9) and preparations based thereon with a colourant C.I. Acid Brown 165 content of 75 % or more by weight	≥15000 / liste verte
1174638/2016	3204120057	Colourant C.I. Acid Brown 282 (CAS RN 70236-60-1 or 12219-65-7) and preparations based thereon with a colourant C.I. Acid Brown 282 content of 75 % or more by weight	≥15000 / liste verte
1179215/2016	3204120065	Colourant C.I. Acid Brown 432 (CAS RN 119509-50-1) and preparations based thereon with a colourant C.I. Acid Brown 432 content of 75 % or more by weight	≥15000 / liste verte
807/06	3204130010	Colourant C.I. Basic Red 1 (CAS RN 989-38-8) and preparations based thereon with a colourant C.I. Basic Red 1 content of 50 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
1179262/2016	3204140040	Colourant C.I. Direct Black 168, in powder form for leather dyeing (CAS RN 85631-88-5) and preparations based thereon with a colourant C.I. Direct Black 168 content by weight of 75 % or more, in powder form for leather dyeing	<15000 / liste rouge
991704/2011	3204170015	Colourant C.I. Pigment Green 7 (CAS RN 1328-53-6) and preparations based thereon with a colourant C.I. Pigment Green 7 content of 40 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
1338994/2016	3204170018	Colourant C.I. Pigment Orange 16 (CAS RN 6505-28-8) and preparations based thereon with a colourant C.I. Pigment Orange 16 content of 90 % or more by weight	Suspension supprimée en l'absence de demande de prolongation

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

1013616/2011, 987080/2011	3204170020	Colourant C.I. Pigment Blue 15:3 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15:3 content of 35 % or more by weight	≥15000 / liste verte
265499/2011, 5582590/2016	3204170022	Colourant C.I. Pigment Red 169 (CAS RN 12237-63-7) and preparations based thereon with a colourant C.I. Pigment Red 169 content of 50 % or more by weight	≥15000 / liste verte
991729/2011	3204170025	Colourant C.I. Pigment Yellow 14 (CAS RN 5468-75-7) and preparations based thereon with a colourant C.I. Pigment Yellow 14 content of 25 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
991732/2011	3204170035	Colourant C.I. Pigment Red 202 (CAS RN 3089-17-6) and preparations based thereon with a colourant C.I. Pigment Red 202 content of 70 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
330636/2011	3204170065	Colourant C.I. Pigment Red 53 (CAS RN 2092-56-0) and preparations based thereon with a colourant C.I. Pigment Red 53 content of 50 % or more by weight	<15000 / liste rouge
1179308/2016	3204190013	Colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 content of 75 % or more by weight	≥15000 / liste verte
635551/2010	3204190073	Colourant C.I. Solvent Blue 104 (CAS RN 116-75-6) and preparations based thereon with a colourant C.I. Solvent Blue 104 content of 97 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
303586/2011	3204190077	Colourant C.I. Solvent Yellow 98 (CAS RN 27870-92-4 or CAS RN 12671-74-8) and preparations based thereon with a colourant C.I. Solvent Yellow 98 content of 95 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
1010644/2011	3204200030	Colourant C.I. Fluorescent Brightener 351 (CAS RN 27344-41-8) and preparations based thereon with a colourant C.I. Fluorescent Brightener 351 content of 90 % or more by weight	Suspension supprimée en l'absence de demande de prolongation
1013641/2011	3206190010	Preparation containing by weight: 72 % (± 2 %) of mica (CAS RN 12001-26-2) and 28 % (± 2 %) of titanium dioxide (CAS RN 13463-67-7)	Suspension supprimée en l'absence de demande de prolongation
1243090/2016	3208901947	Solution containing by weight: 0.1 % or more but not more than 20 % of alkoxygroups containing siloxane polymer with alkyl or aryl substituents 75 % or more of an organic solvent containing one or more of propyleneglycolethylether (CAS RN 1569-02-4), propylene glycol mono methylether acetate (CAS RN 108-65-6) or propyleneglycol propylether (CAS RN 1569-01-3)	≥15000 / liste verte
1254133/2015	3208901955	Preparation of 5 % or more but not more than 20 % by weight of a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene, isobutene and maleic anhydride in an organic solvent	Suspension supprimée en l'absence de demande de prolongation
880/06	3208901960	Copolymer of hydroxystyrene with one or more of the following: styrene alkoxy styrene alkylacrylates dissolved in ethyl lactate	≥15000 / liste verte
168821/2010	3402119010	Sodium lauroyl methyl isethionate	Suspension supprimée en l'absence de demande de prolongation
1254126/2015	3506919050	Preparation containing by weight: 15 % or more but not more than 60 % of styrene butadiene copolymers or styrene isoprene copolymers and 10 % or more but not more than 30 % of pinene polymers or pentadiene copolymers dissolved in : Methyl ethyl ketone (CAS RN 78-93-3) Heptane (CAS RN 142-82-5), and Toluene (CAS RN 108-88-3) or light aliphatic solvent naphtha (CAS RN 64742-89-8)	Suspension supprimée en l'absence de demande de prolongation
1289924/2016	3507909030	Salicylate 1-monooxygenase (CAS RN 9059-28-3) in aqueous solution with an enzyme concentration of 6,0 U/ml or more, but not more than 7,4 U/ml , a concentration by weight of sodium azide (CAS RN 26628-22-8) of not more than 0,09 % and a pH value of 6,5 or more, but not more than 8,5	≥15000 / liste verte
164630/2010	3601000010	Pyrotechnical powder in the form of granulate of cylindrical shape, composed of strontium nitrate or copper nitrate in the solution of nitroguanidine, binder and additives, used as a component of airbag inflators	≥15000 / liste verte
982571/2011	3801900010	Expandable graphite (CAS RN 90387-90-9 and CAS RN 12777-87-6)	≥15000 / liste verte
4565219-1/2017	3802100030	Chemically activated carbon in pellet (cylindrical) form, with: a diameter of 2 mm or more but not more than 3 mm, and a Butane Working Capacity of 5 g butane/100ml or more (as determined by the ASTM D 5228 method) used for vapour absorption and desorption in emission control canisters of motor vehicles	<15000 / liste rouge
246373/2011	3808932740	Preparation, consisting of a suspension of tepraloxydim (ISO), containing by weight: 30 % or more of tepraloxydim (ISO) and not more than 70 % of a petroleum fraction consisting of aromatic hydrocarbons	<15000 / liste rouge



Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

630977/2010	3808939050	Preparation in the form of powder, containing by weight: 55 % or more of Gibberellin A4, 1 % or more but not more than 35 % of Gibberellin A7, 90 % or more of Gibberellin A4 and Gibberellin A7 combined not more than 10 % of a combination of water and other naturally occurring Gibberellins of a kind used in plant growth regulators	Suspension supprimée en l'absence de demande de prolongation
5573295/2016	3811210011	Dispersing agent and oxidation inhibitor containing : o-amino polyisobutylene phenol (CAS RN 78330-13-9), more than 30 % by weight but not more than 50 % by weight of mineral oils, used in the manufacture of blends of additives for lubricating oils	<15000 / liste rouge
5573326/2016	3811290075	Oxidation inhibitor mainly containing a mixture of isomers of 1-(tert-dodecylthio)propan-2-ol (CAS RN 67124-09-8), used in the manufacture of blends of additives for lubricating oils	<15000 / liste rouge
5572943/2016	3811900050	Corrosion inhibitor containing : polyisobutenyl succinic acid and more than 5 % and not more than 20 % by weight of mineral oils for use in the manufacture of blends of additives for fuels	≥15000 / liste verte
272668/2011	3812100010	Rubber accelerator based on diphenyl guanidine granules (CAS RN 102-06-7)	≥15000 / liste verte
968627/2011	3812399055	UV-stabilizer, containing: 2-(4,6-bis(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(octyloxy)-phenol (CAS RN 2725-22-6) and either N,N'-bis(1,2,2,6,6-pentamethyl-4-piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7) or N,N'-bis(2,2,6,6-tetramethyl-4-piperidinyl)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 82451-48-7)	≥15000 / liste verte
963132/2011	3812399065	Stabiliser for plastic material containing: 2-ethylhexyl 10-ethyl-4,4-dimethyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-35-4), 2-ethylhexyl 10-ethyl-4-[[2-[(2-ethylhexyl)oxy]-2-oxoethyl]thio]-4-methyl-7-oxo-8-oxa-3,5-dithia-4-stannatetradecanoate (CAS RN 57583-34-3), and 2-ethylhexyl mercaptoacetate (CAS RN 7659-86-1)	≥15000 / liste verte
1013685/2011	3812399070	Light stabiliser containing: branched and linear alkyl esters of 3-(2H-benzotriazolyl)-5-(1,1-dimethylethyl)-4-hydroxybenzenepropanoic acid (CAS RN 127519-17-9), and 1-methoxy-2-propyl acetate (CAS RN 108-65-6)	Suspension supprimée en l'absence de demande de prolongation
418/2/1981, 968510/2011	3815199010	Catalysts consisting of chromium trioxide, dichromium trioxide or organometallic compounds of chromium, fixed on a silicon dioxide support with a pore volume of 2 cm <sup>3</sup> /g or more (as determined by the nitrogen absorption method)	≥15000 / liste verte
1336293/2016	3815199013	Catalyst consisting of: chromium trioxide (CAS RN 1333-82-0), dichromium trioxide (CAS RN 1308-38-9), on a support of aluminium oxide (CAS RN 1344-28-1)	<15000 / liste rouge
3112/9/04	3815909089	Rhodococcus rhodocrous J1 bacteria, containing enzymes, suspended in a polyacrylamide gel or in water, for use as a catalyst in the production of acrylamide by the hydration of acrylonitrile	≥15000 / liste verte
968549/2011	3817008030	Mixed alkylnaphthalenes, modified with aliphatic chains, of a chain-length varying from 12 to 56 carbon atoms	≥15000 / liste verte
5501295/2016	3824999227	4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzotrile (CAS RN 675126-28-0) in an organic solvent	<15000 / liste rouge
5582909/2016, 5651724/2016	3824999230	Aqueous solution of caesium formate and potassium formate containing by weight: 1 % or more but not more than 84 % of caesium formate (CAS RN 3495-36-1), 1 % or more but not more than 76 % of potassium formate (CAS RN 590-24-1), and whether or not containing not more than 9 % of additives	<15000 / liste rouge
836/06	3824999236	Calcium phosphonate phenate, dissolved in mineral oil	<15000 / liste rouge
1231/2008	3824999254	Poly(tetramethylene glycol) bis[(9-oxo-9H-thioxanthen-1-yloxy)acetate] with an average polymer chain length of less than 5 monomer units (CAS RN 813452-37-8)	Suspension supprimée en l'absence de demande de prolongation
295953/2011	3824999264	Preparation containing by weight: 89 % or more but not more than 98,9 % of 1,2,3-trideoxy-4,6:5,7-bis-O-[(4-propylphenyl)methylene]-nonitol 0,1 % or more but not more than 1 % of colourants 1 % or more but not more than 10 % of fluoropolymers	<15000 / liste rouge
1102055/2015	3824999269	Preparation containing by weight: 80 % or more but not more than 92 % of Bisphenol-A bis(diphenyl phosphate) (CAS RN 5945-33-5) 7 % or more but not more than 20 % oligomers of Bisphenol-A bis(diphenyl phosphate) and not more than 1 % triphenyl phosphate (CAS RN 115-86-6)	Suspension supprimée en l'absence de demande de prolongation
5505061/2016	3824999345	Sodium hydrogen 3-aminonaphthalene-1,5-disulphonate (CAS RN 4681-22-5) containing by weight: not more than 20 % of disodium sulphate, and not more than 10 % of sodium chloride	≥15000 / liste verte
1336307/2016	3824999350	Preparation, consisting of acesulfame potassium (CAS RN 55589-62-3) and potassium hydroxide (CAS RN 1310-58-3)	<15000 / liste rouge

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

1249613/2016	3824999355	Mixture containing by weight 70 % or more, but not more than 90 % of (S)-indoline-2-carboxylic acid (CAS RN 79815-20-6) and 10 % or more, but not more than 30 % of o-chlorocinnamic acid (CAS RN 3752-25-8)	<15000 / liste rouge
255889/2011	3824999660	Fused magnesia containing by weight 15 % or more of dichromium trioxide	≥15000 / liste verte
5582854/2016	3824999670	Powder containing by weight: 28 % or more but not more than 51 % of talc (CAS RN 14807-96-6) 30,5 % or more but not more than 48 % of silicon dioxide (quartz) (CAS RN 14808-60-7) 17 % or more but not more than 26 % of aluminium oxide (CAS RN 1344-28-1)	<15000 / liste rouge
1268378/2016	3824999674	Mixture with a non-stoichiometric composition: with a crystalline structure, with a content of fused magnesia-alumina spinel and with admixtures of silicate phases and aluminates, at least 75 % by weight of which consists of fractions with a grain size of 1-3 mm and at most 25 % consists of fractions with a grain size of 0-1 mm	≥15000 / liste verte
5501338/2016	3824999680	Mixture consisting of: 64 % or more, but not more than 74 % by weight of amorphous silica (CAS RN 7631-86-9) 25 % or more, but not more than 35 % by weight of butanone (CAS RN 78-93-3) and not more than 1 % by weight of 3-(2,3-epoxypropoxy)propyltrimethoxysilane (CAS RN 2530-83-8)	≥15000 / liste verte
265520/2011	3901109030	Polyethylene granules, containing by weight 10 % or more but not more than 25 % of copper	≥15000 / liste verte
1249670/2016	3901908073	Mixture containing by weight 80 % or more, but not more than 94 % of chlorinated polyethylene (CAS RN 64754-90-1) and 6 % or more, but not more than 20 % of styrene-acrylic copolymer (CAS RN 27136-15-8)	≥15000 / liste verte
265549/2011	3902300095	A-B-A block copolymer, consisting of: a copolymer of propylene and ethylene and 21 % (± 3 %) by weight of polystyrene	≥15000 / liste verte
246889/2011	3902300097	Liquid ethylene-propylene-copolymer with: a flashpoint of 250 °C or more, a viscosity index of 150 or more, of a number average molecular weight (M <sub>n</sub> ) of 650 or more	≥15000 / liste verte
883/06	3902909098	Synthetic poly-alpha-olefin with a viscosity at 100° Celsius (measured according to method ASTM D 445) ranging from 3 centistokes to 9 centistokes and obtained by polymerization of a mixture of dodecene and tetradecene, containing a maximum of 40 % of tetradecene	≥15000 / liste verte
981/06	3903190040	Crystalline polystyrene with: a melting point of 268 °C or more but not more than 272 °C a setting point of 232 °C or more but not more than 247 °C, whether or not containing additives and filling material	≥15000 / liste verte
331261/2011	3903909020	Copolymer in the form of granules containing by weight: 83 ± 3 % styrene, 7 ± 2 % n-butyl acrylate, 9 ± 2 % n-butyl methacrylate and 0,01 % or more but not more than 1 % of polyolefinic wax	≥15000 / liste verte
294144/2011	3903909025	Copolymer in the form of granules containing by weight: 82 ± 6 % styrene, 13,5 ± 3 % n-butyl acrylate, 1 ± 0,5 % methacrylic acid and 0,01 % or more but not more than 8,5 % of polyolefinic wax	<15000 / liste rouge
977359/2011	3903909060, 3911909960	Copolymer of styrene with maleic anhydride, either partially esterified or completely chemically modified, of an average molecular weight (M <sub>n</sub> ) of not more than 4500, in flake or powder form	≥15000 / liste verte
5451123/2016	3906909043	Copolymer of methacrylic esters, butylacrylate and cyclic dimethylsiloxanes (CAS RN 143106-82-5)	≥15000 / liste verte
5457188/2016	3906909053	Polyacrylamide powder having an average particle size of less than 2 microns and a melting point of more than 260°C, containing by weight: 75 % or more but not more than 85 % of polyacrylamide and 15 % or more but not more than 25 % of polyethylene glycol	<15000 / liste rouge
1013632/2011	3907201160	Preparation containing: α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-hydroxypoly(oxy-1,2-ethanediyl) (CAS RN 104810-48-2) and α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]poly(oxy-1,2-ethanediyl) (CAS RN 104810-47-1)	Suspension supprimée en l'absence de demande de prolongation
1349038/2016	3907202025	Copolymer of propylene oxide and butylene oxide, monododecylether, containing by weight: 48 % or more but not more than 52 % of propylene oxide and 48 % or more but not more than 52 % of butylene oxide	Suspension supprimée en l'absence de demande de prolongation
265569/2011	3907209960	Polytetramethylene oxide di-p-aminobenzoate	≥15000 / liste verte
276918/2011	3907690040	Poly(ethylene terephthalate) pellets or granules: with a specific gravity of 1,23 or more but not more than 1,27 at 23° C, and containing not more than 10 % by weight of other modifiers or additives	<15000 / liste rouge
3939762/2015	3910000015	Dimethyl, methyl(propyl(polypropylene oxide)) siloxane (CAS RN 68957-00-6), trimethylsiloxy-terminated	Suspension supprimée en l'absence de demande de prolongation

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

1295010/2016	3910000025	Preparations containing by weight: 10 % or more, 2-hydroxy-3-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyloxy) disiloxanyl] propoxy] propyl-2-methyl-2-propenoate (CAS RN 69861-02-5), and 10 % or more, $\alpha$ -Butyldimethylsilyl- $\omega$ -3-[(2-methyl-1-oxo-2-propen-1-yl)oxy]propyl-terminated silicone polymer (CAS RN 146632-07-7)	≥15000 / liste verte
1295050/2016	3910000035	Preparations containing by weight: 30 % or more, $\alpha$ -Butyldimethylsilyl- $\omega$ -(3-methacryloxy-2-hydroxypropyloxy)propyldimethylsilyl-polydimethylsiloxane (CAS RN 662148-59-6) and 10 % or more, N,N – Dimethylacrylamide (CAS RN 2680-03-7)	≥15000 / liste verte
859/06	3910000040	Silicones of a kind used in the manufacture of long term surgical implants	≥15000 / liste verte
5651807/2016	3910000045	Dimethyl siloxane, hydroxy-terminated polymer with a viscosity of 38-100 mPa·s (CAS RN 70131-67-8)	≥15000 / liste verte
5652366/2016	3910000055	Preparation containing by weight: 55 % or more but not more than 65 % of vinyl terminated polydimethylsiloxane (CAS RN 68083-19-2), 30 % or more but not more than 40 % of dimethylvinylated and trimethylated silica (CAS RN 68988-89-6), and 1 % or more but not more than 5 % of silicic acid, sodium salt, reaction products with chlorotrimethylsilane and isopropyl alcohol (CAS RN 68988-56-7)	Suspension supprimée en l'absence de demande de prolongation
265591/2011	3911901940	m-Xylene formaldehyde resin	≥15000 / liste verte
884/06	3911909986	Copolymer of methyl vinyl ether and maleic acid anhydride (CAS RN 9011-16-9)	≥15000 / liste verte
167126/2010	3912110030	Cellulose triacetate (CAS RN 9012-09-3)	≥15000 / liste verte
303546/2011	3912398540	Hypromellose (INN) (CAS RN 9004-65-3)	Suspension supprimée en l'absence de demande de prolongation
276949/2011	3919108070, 3919908075	Rolls of polyethylene foil: self-adhesive on one side, of a total thickness of 0,025 mm or more, but not more than 0,09 mm, of a total width of 60 mm or more, but not more than 1 110 mm, for use in the manufacture of products of Headings 8521 or 8528 for protection purposes	<15000 / liste rouge
293907/2011	3919108075, 3919908080,	Self-adhesive reflecting film, consisting of several layers including: a copolymer of acrylic resin, polyurethane, a metallised layer with, on one side, laser imprints against counterfeiting, alteration or substitution of data or duplications, or an official mark for an intended use, glass microspheres, and an adhesive layer, with a release liner on one or both sides	≥15000 / liste verte
246973/2011	3920108930	Ethylene vinyl acetate (EVA) film with: a raised relief surface with embossed undulations, and a thickness of more than 0,125 mm	≥15000 / liste verte
3119/13/04, 804/06	3920108940	Composite sheet containing an acrylic coating and laminated to a high-density polyethylene layer, of a total thickness of 0,8 mm or more but not more than 1,2 mm	Suspension supprimée en l'absence de demande de prolongation
967272/2011	3920202140	Sheets of biaxially - oriented polypropylene film: with the thickness of not more than 0,1 mm, printed on both sides with specialised coatings to allow banknote security printing	<15000 / liste rouge
3423/06	3920992850	Thermoplastic polyurethane film, of a thickness of 250 $\mu$ m or more but not more than 350 $\mu$ m, covered on one side with a removable protective film	≥15000 / liste verte
265624/2011	3920992870	Sheets on rolls, consisting of epoxy resin, with conducting properties, containing: microspheres with a coating of metal, whether or not alloyed with gold, an adhesive layer, with a protective layer of silicone or poly(ethylene terephthalate) on one side, with a protective layer of poly(ethylene terephthalate) on the other side, and with a width of 5 cm or more but not more than 100 cm with a length of not more than 2 000 m	≥15000 / liste verte
5451174/2016	3920995970	Tetrafluoroethylene film, put up in rolls, with: a thickness of 50 $\mu$ m, a melting point of 260 °C, and a specific gravity of 1,75 (ASTM D792) for use in the manufacture of semiconductor devices	<15000 / liste rouge
5457200/2016	3921190050	Porous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded non-woven cloth with a total thickness of more than 0,05 mm but not more than 0,20 mm, a water entry pressure between 5 and 200 kPa according to ISO 811, and an air permeability of 0,08 cm <sup>3</sup> /cm <sup>2</sup> /s or more according to ISO 5636-5	≥15000 / liste verte
1010631/2011	3923109010	Photomask or wafer compacts: consisting of antistatic materials or blended thermoplastics proving special electrostatic discharge (ESD) and outgassing properties, having non porous, abrasion resistant or impact resistant surface properties, fitted with a specially designed retainer system that protects the photomask or wafers from surface or cosmetic damage and with or without a gasket seal, of a kind used in the photolithography or other semiconductor production to house photomasks or wafers	Suspension supprimée en l'absence de demande de prolongation

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

969500/2011	3926909730	Parts of car radio and car air-conditioner front panels of acrylonitrile-butadiene-styrene with or without polycarbonate, coated with a copper, a nickel and a chrome layers, with a total thickness of coating of 5,54 µm or more but not more than 49,6 µm	≥15000 / liste verte
1336370/2016	3926909740	Silicone shell for breast implant	≥15000 / liste verte
5560026/2016	3926909777	Silicone decoupling ring with an inner diameter of 14,7 mm or more but not more than 16,0 mm, in immediate packings of 2 500 pieces or more, of a kind used in car parking aid sensor systems	≥15000 / liste verte
1297172/2016	4010310010, 4010330010, 4010390010	Vulcanized rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitudinal V-ribbed pattern on the inner side for use in the manufacture of goods of Chapter 87	<15000 / liste rouge
5524428/2016	4016995710	Air intake hose for air supply to the combustion part of the engine comprising at least: one flexible rubber hose, one plastic hose, and metal clips, whether or not a resonator for use in the manufacture of goods of Chapter 87	≥15000 / liste verte
5524327/2016	4016995720	Rubber bumper strip with a silicone coating of a length not more than 1 200 mm and with at least five plastic clips for use in the manufacture of goods of Chapter 87	<15000 / liste rouge
272718/2011	4016999730	Tyre moulding bladder	≥15000 / liste verte
1336266/2016	4412994010, 4412995010, 4412998520	Laminated wood consisting of two layers of sheets for veneering: a width of 210 mm or more but not more than 320 mm, a length of 297 mm or more but not more than 450 mm, a thickness of 0,45 mm or more but not more than 0,8 mm, for use in the manufacture of products falling within heading 4420, 4421, 4820, 4909 or 4911	<15000 / liste rouge
1/1/1989	5004001010	Silk yarn (other than yarn spun from silk waste) not put up for retail sale, unbleached, scoured or bleached, entirely of silk	≥15000 / liste verte
264348/2011	5603929080, 5603939050	Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments: a weight of 25 g/m <sup>2</sup> or more but not more than 150 g/m <sup>2</sup> , in the piece or simply cut into squares or rectangles, not impregnated, with cross-directional or machine-directional stretch properties for use in the manufacture of infant/child care products	≥15000 / liste verte
1361540/2016	5903209020	Two layers' plastic-laminated textile fabric with: one layer consisting of knitted or crocheted polyester textile fabric, other layer consisting of polyurethane foam, a weight of 150 g/m <sup>2</sup> or more, but not more than 500 g/m <sup>2</sup> , a thickness of 1 mm or more, but not more than 5 mm for use in the manufacture of the retractable roof of motor vehicles	≥15000 / liste verte
1060/13/1982	5907000010	Textile fabrics, coated with adhesive in which are embedded spheres of a diameter of not more than 150 µm	≥15000 / liste verte
5451151/2016	6805300010	Probe tips cleaning material consisting of a polymer matrix containing abrasive particles mounted on a substrate for use in the manufacture of semiconductors	<15000 / liste rouge
822/06	7019390050	Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts	≥15000 / liste verte
1290020/2016	7019400070, 7019520030	E-fibre glass fabrics: having a weight of 20 g/m <sup>2</sup> or more, but not more than 214 g/m <sup>2</sup> , impregnated with silane, in rolls, having a humidity content by weight of 0,13 % or less, and having not more than 3 hollow fibres out of 100 000 fibres, for the exclusive use in the manufacture of prepregs and copper clad laminates	≥15000 / liste verte
977954/2011	7020001010, 7616999077	Television pedestal stands with or without bracket for fixation to and stabilization of television cabinet case/body	≥15000 / liste verte
831/2006	7201101110	Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm	≥15000 / liste verte
830/2006	7201103010	Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm, containing by weight not more than 1 % of silicon	≥15000 / liste verte
5524249/2016	7318190030	Connecting rod for the master brake cylinder with screw threads on both ends for use in the manufacture of goods of Chapter 87	<15000 / liste rouge
853/2006	7326200020	Metal fleece, consisting of a mass of stainless steel wires of diameters of 0,001 mm or more but not more than 0,070 mm, compacted by sintering and rolling	≥15000 / liste verte
961245/2011	7607119048, 7607119049, 760711904851, 760711904852, 760711904853, 760711904856	Aluminium foil in rolls: having a purity of 99,99 % by weight, of a thickness of 0,021 mm or more but not more than 0,2 mm, with a width of 500 mm, with a surface oxide layer by 3 to 4 nm thick, and with a cubic texture of more than 95 %	≥15000 / liste verte

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

984128/2011	7616999070, 8482800010, 8803300040	Connecting components for use in the production of helicopter tail rotor shafts	≥15000 / liste verte
1362566/2016	8108903060	Forged cylindrical bars of titanium with: a purity of 99,995 % by weight or more, a diameter of 140 mm or more but not more than 200 mm, a weight of 5 kg or more but not more than 300 kg	≥15000 / liste verte
982694/2011	8108903070	Wire of an titanium alloy containing by weight: 22 % (± 1 %) of vanadium, and 4 % (± 0,5 %) of aluminium or 15 % (± 1 %) of vanadium, 3 % (± 0,5 %) of chromium, 3 % (± 0,5 % of tin and 3 % (± 0,5 %) of aluminium	≥15000 / liste verte
982750/2011	8108905055	Plates, sheets, strip and foil of an alloy of titanium	≥15000 / liste verte
982936/2011	8108909030, 9003900020	Parts of spectacle frames and mountings, including temples, blanks of a kind used for the manufacture of spectacle parts and bolts of the kind used for spectacle frames and mountings, of a titanium alloy	≥15000 / liste verte
949/2006	8407901010	Four-stroke petrol engines of a cylinder capacity of not more than 250 cm <sup>3</sup> for use in the manufacture of garden equipment of heading 8432, 8433, 8436 or 8508	≥15000 / liste verte
1302002/2016	8409910040	Fuel injector with solenoid valve for optimized atomization in the combustion chamber for use in the manufacture of spark-ignition internal combustion piston engines of motor vehicles	≥15000 / liste verte
248701/2011	8409990010, 8479907085	Injectors with solenoid valve for optimised atomisation in the engine combustion chamber	≥15000 / liste verte
5506673/2016	8409990040	Plastic or aluminum cylinder head cover with: a camshaft position sensor (CMP/S), metal brackets for mounting on an engine, and two or more gaskets, for use in the manufacture of engines of motor vehicles	<15000 / liste rouge
1378927/2017	8409990070	Metal alloy intake and exhaust valve with a Rockwell hardness HRC 20 or more, but not more than HRC 50 for use in the manufacture of compression ignition engines of motor vehicles	<15000 / liste rouge
371591/2013	8411990030	Turbine housing of turbochargers with: a heat-resistance of not more than 1 050 °C, and a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 181 mm	≥15000 / liste verte
5506724/2016	8413302030	Single-cylinder radial-piston high pressure pump for gasoline direct injection with: an operating pressure of 200 bar or more, but not more than 350 bar, a flow control, and a pressure relief valve, for use in the manufacture of engines of motor vehicles	≥15000 / liste verte
902/2006	8418991070	Evaporator made of aluminium for use in the manufacture of air conditioning machines for automobiles	<15000 / liste rouge
1297221/2016	8424897020	Mechanical passenger car headlights washer with telescopic hose, high pressure nozzles and mounting clamps for use in the manufacture of goods of Chapter 87	<15000 / liste rouge
527496/2014	8479899760	Bioreactor for biopharmaceutical cell culture having interior surfaces of austenitic stainless steel, and with a process capacity up to 15 000 litres, whether or not combined with a "clean-in-process" system and/or a dedicated paired media hold vessel	≥15000 / liste verte
5506241/2016	8479907087	Fuel hose for internal combustion piston engines with a fuel temperature sensor, with at least two inlet hoses and three outlet hoses for use in the manufacture of engines of motor vehicles	<15000 / liste rouge
5505106/2016	8481805920	Pressure regulating valve for incorporation into compressors of motor vehicle air condition units	≥15000 / liste verte
248671/2011	8483402950	Gear set of cycloid gear type with: a rated torque of 50 Nm or more but not more than 9 000 Nm, standard ratios of 1:50 or more but not more than 1:475, lost motion of not more than one arc minute, an efficiency of more than 80 % of a kind used in robot arms	≥15000 / liste verte
5505154/2016	8484200010	Mechanical shaft seal for incorporation into rotary compressors for use in the manufacture of motor vehicle air condition units	≥15000 / liste verte
5560070/2016	8501109956	DC Motor : with a speed rotation of not more than 7000 rpm (without load), with a nominal voltage of 12 V (± 4 V), with a maximum power of 13,78 W ( at 3,09 A), with a specified temperature range from -40°C to 160°C, with a gear connection, with a mechanical attachment interface, with 2 electrical connections, with a maximum torque of 100 Nm	≥15000 / liste verte
5560106/2016	8501109958	DC Motor : with a speed rotation of not more than 6500 rpm (without load), with a nominal voltage of 12 V (± 4 V), with a maximal power below than 20 W, with a specified temperature range from -40°C to 160°C, with a worm gear drive, with a mechanical attachment interface, with 2 electrical connections, with a maximum torque of 75 Nm	≥15000 / liste verte

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

3869531/2015	8501109964	DC motor to control angular position of the flap to adjust gas flow in the Air Throttle and EGR valve: with Ingress Protection (IP) standard of IP69, with a rotor speed of not more than 6 500 rpm when not loaded, with a rated voltage of 12,0 V (+/- 0,1), of a specified temperature range of - 40 °C or more, but not more than + 165 °C, with or without a connecting pinion, with or without an engine connector, with or without a flange, with a diameter of not more than 40 mm (not including the flange), with an overall height of not more than 90 mm (from the base to the pinion)	≥15000 / liste verte
998/2006	8501310030	DC motor, brushless, with a three-phase winding, an external diameter of 85 mm or more, but not more than 115 mm, a nominal torque of 2,23 Nm (± 1,0 Nm), of an output of more than 120 W but not more than 520 W, calculated with 1 550 rpm (± 350 rpm) at a supply voltage of 12 V equipped with electronic circuit with sensors using the Hall effect, for use with an electric power steering control module (power steering motor)	<15000 / liste rouge
1268149/2016	8501310075	Brushless DC motor assembly comprised of a motor and transmission, with: electronic control operating by Hall Effect position sensors, voltage input 9V or more but not more than 16V, external diameter of the motor 70 mm or more but not more than 80 mm, output motor power 350 W or more but not more than 550W, maximum output torque 50 Nm or more but not more than 52 Nm, maximum output rotation speed 280 rpm or more but not more than 300 rpm, coaxial male spline outputs of outer diameter 20 mm (±1 mm), 17 teeth and minimum length of teeth 25 mm (± 1 mm), and with distance between root of splines 119 mm (± 1 mm) for use in the manufacture of all-terrain or utility task vehicles	<15000 / liste rouge
160472/2010	8501330030, 8501408050, 8501535010	Electric drive for motor vehicles, with an output of not more than 315 kW: with an AC or DC motor with or without transmission, with or without power electronics	≥15000 / liste verte
248681/2011	8501510030, 8501522050	AC synchronous servo motor with resolver and brake for a maximum speed of not more than 6 000 rpm, with: an output of 340 W or more but not more than 7,4 kW, a flange of dimensions of not more than 180 mm × 180 mm, and a length from flange to extreme end of resolver of not more than 271 mm	≥15000 / liste verte
1219/2009	8503009933	Stator for brushless motor of electrical power steering with a roundness tolerance of 50 µm	≥15000 / liste verte
1249730/2016	8504318050	Transformers for use in the manufacture of electronic drivers, control devices and LED light sources for lighting industry	≥15000 / liste verte
1301940/2016	8505110047	Articles in the form of a triangle, square or rectangle, whether or not arched or with rounded corners, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with the following dimensions: a length of 9 mm or more but not more than 105 mm, a width of 5 mm or more but not more than 105 mm, and a height of 2 mm or more but not more than 55 mm	≥15000 / liste verte
3869578/2015	8506501010	Lithium cylindrical primary cells with: a diameter of 14,0 mm or more but not more than 26,0 mm, a length of 2,2 mm or more but not more than 51 mm, a voltage of 1,5 V or more, but not more than 3,6 V, a capacity of 0,15 Ah or more, but not more than 5,00 Ah for use in the manufacture of telemetry and medical devices, electronic meters or remote controls	<15000 / liste rouge
328918/2011	8507908070	Cut plate of nickel-plated copper foil, with: a width of 70 mm (± 5 mm), a thickness of 0,4 mm (± 0,2 mm), a length of not more than 55 mm, for use in the manufacture of lithium-ion electric rechargeable batteries	<15000 / liste rouge
1302174/2016	8511300055	Ignition coil: with a length of 50 mm or more, but not more than 200 mm, with an operating temperature of - 40 °C or more, but not more than 140 °C, and with a voltage of 9 V or more, but not more than 16 V, with or without connection cable, for use in the manufacture of engines of motor vehicles	≥15000 / liste verte
1302069/2016	8511800020	Glow-plug for pre-heating of the diesel engines with: an operating temperature of more than 800 °C, a voltage of 5 V or more, but not more than 16 V, a heating rod containing silicon nitride (Si 3 N 4 ) and molybdenum disilicide (MoSi 2 ), and a metal housing for use in the manufacture of diesel engines of motor vehicles	<15000 / liste rouge
917/2006	8529906550	Tuner transforming high-frequency signals into mid-frequency signals, for use in the manufacture of products falling under heading 8528	≥15000 / liste verte
277185/2011	8529909257	Metal holder, metal fixing item or internal stiffener of metal, for use in the manufacture of televisions, monitors and video players	≥15000 / liste verte
1289887/2016	8536411020	Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galvanically isolated input circuit with a photovoltaic generator and a power MOSFET output switch in a casing with connections for a voltage of 60 volts or less and a current of 2 amps or less	≥15000 / liste verte

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

1289909/2016	8536419050	Photoelectric (so called photovoltaic) relay consisting of a GaAIAs light-emitting diode, a galvanically isolated input circuit with one or two photovoltaic generators and two power MOSFET output switches in a casing with connections for a maximum voltage of 60 volts and a minimum current of 2 amps	<15000 / liste rouge
1289954/2016	8536490040	Photoelectric (so called photovoltaic) relay consisting of two GaAIAs light-emitting diodes, two galvanically isolated input circuits with photovoltaic generator(s) and four power MOSFET output switches in a casing with connections for a voltage of more than 60 volts	≥15000 / liste verte
277218/2011	8536699085	Socket or plug, built into a plastic or metal housing, with no more than 96 pins, for use in the manufacture of products falling within headings 8521 or 8528	≥15000 / liste verte
277218/2011	8536699086	High-Definition Multimedia Interface (HDMI) type socket or plug, built into a plastic or metal housing, with 19 pins or 20 pins in 2 rows, for use in the manufacture of products falling within headings 8521 or 8528	≥15000 / liste verte
297145/2011	8536700010	Optical socket, plug or connector, for use in the manufacture of goods falling within headings 8521 or 8528	≥15000 / liste verte
5559923/2016	8537109865	Lever for control module under the steering wheel: with one or more single or multi-positional electrical switches (push-button, rotary or other), whether or not equipped with printed circuit boards and electrical cables, for a voltage of 9 V or more but not more than 16 V, of a kind used in the manufacture of motor vehicles of Chapter 87	≥15000 / liste verte
5524483/2016	8537109875	Control unit for keyless access to vehicle and vehicle starting, with electrical switching apparatus, in a plastic housing, for a voltage of 12 V, whether or not with: an antenna, a connector, a metal holder, for use in the manufacture of goods of Chapter 87	<15000 / liste rouge
5559994/2016	8538909960	Front control panel, in the form of a plastic box, with light guides, rotary switches, pressure switches and buttons switches, or other type of switches, without any electrical component, of a kind used in the dashboard of motor vehicles of Chapter 87	≥15000 / liste verte
603/1/1987	8540208091	Photomultiplier	≥15000 / liste verte
5451360/2016	8543709015	Laminated electrochromic film consisting of: two outer layers of polyester, a middle layer of acrylic polymer and silicone, and two electric connection terminals	≥15000 / liste verte
1290007/2016	8543709033	High-frequency amplifier comprising one or more integrated circuits and one or more discrete capacitor chips, whether or not with IPD (integrated passive devices) on a metal flange in a housing	≥15000 / liste verte
1289982/2016	8543709034	Gallium nitride (GaN) high-frequency amplifier consisting of one or more discrete transistors, one or more discrete capacitor chips, whether or not with IPD (integrated passive devices) on a metal flange in a housing	<15000 / liste rouge
1233197/2015	8544200030	Antenna connecting cable for the transmission of radio (AM/FM) signal and whether or not GPS signal, containing: a coaxial cable, two or more connectors, and 3 or more plastic clips for attachment to the dashboard of a kind used in the manufacture of goods of Chapter 87	≥15000 / liste verte
1268178/2016	8544300035	Wire harness: with an operation voltage of 12V, wrapped in tape or covered in plastic convoluted tubing, with 16 or more strands, with all terminals to be tin plated or equipped with connectors, for use in the manufacture of all-terrain or utility task vehicles	<15000 / liste rouge
5524595/2016	8544429080	12-wire connecting cable containing two connectors of a voltage of 5 V, with a length of not more than 300 mm for use in the manufacture of goods of Chapter 87	<15000 / liste rouge
631139/2010	8545909040	Corrosion resistant, layered technical fibre substrate of a gas diffuser layer with: controlled fibre length, flex strength, porosity, thermal conductance, electrical resistance, a thickness of less than 600 µm, a weight of less than 500 g/m <sup>2</sup>	<15000 / liste rouge
3117/10/2004	8548909048	Optical unit, containing at least a laser diode and a photodiode operating at a typical wavelength of 635 nm or more but not more than 815 nm an optical lens a "Recording Photodetector Integrated Circuit" (PDIC) a focussing and tracking actuator	≥15000 / liste verte
5524180/2016	8708101010, 8708109010	Plastic cover for filling the space between the fog lights and the bumper whether or not with a chrome strip for use in the manufacture of goods of Chapter 87	≥15000 / liste verte
634869/2010	8708301050, 8708309110	Drum type parking brake: operating within the service brake disk, with a diameter of 170 mm or more but not more than 195 mm for use in the manufacture of motor vehicles	<15000 / liste rouge
1272648/2016	8708402040, 8708405030	Gear box assembly with one or two inputs and at least three outputs in cast aluminium housing with overall dimensions (excluding the shafts) of not more than 455 mm (width) x 462 mm (height), 680 mm length, equipped with at least: one exterior-splined output shaft, a rotary switch to indicate gear position, the potential for a differential for use in the manufacture of all-terrain or utility task vehicles	<15000 / liste rouge

Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

1272733/2016	8708502040, 8708509930, 8708991070, 8708999780	Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least: two electro-magnetic one direction clutches in one cage, working in both directions, an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth for use in the manufacture of all-terrain or utility task vehicles	<15000 / liste rouge
5524137/2016	8708809910	Stabilizer bar for front axle equipped with a ball pivot on both ends for use in the manufacture of goods of Chapter 87	<15000 / liste rouge
1268272/2016	8708931010, 8708939010	Mechanically operated clutch for use with an elastomeric belt in a dry environment in a CVT (Continuously Variable Transmission) gear case: designed to be bolted onto a splined shaft of outer diameter 23 mm, with an overall diameter of not more than 266 mm (± 1 mm), comprised of 2 sheaves with tapered faces, sheaves having taper of 13 degrees each, having a main compression spring used to resist displacement between sheaves, and comprised of a cam or spring to maintain proper belt tension for use in the manufacture of all-terrain vehicles or utility task vehicles	<15000 / liste rouge
1268238/2016	8708931030, 8708939030	Mechanically operated centrifugal clutch for use with an elastomeric belt in a dry environment in a continuously variable transmission (CVT), equipped with: elements that activate the clutch at given rotation and generate (in this way) centrifugal force, shaft ended with 5 or more but not more than 6 degree taper, 3 weights, and 1 compression spring for use in the manufacture of all-terrain or utility task vehicles	<15000 / liste rouge
1268308/2016	8708991010, 8708999760	Six-layer composite fuel tank assembly comprising of: a fuel inlet, a pump flange assembly (PFA), a ventilation with rollover valve mounted on the top of the tank, and threaded holes for PFA assembly, for use in the manufacture of all-terrain or utility task vehicles	<15000 / liste rouge
5524287/2016	8708991035, 8708999735	Holder of front radiator or intercooler whether or not with rubber cushioning for use in the manufacture of goods of Chapter 87	<15000 / liste rouge
5524655/2016	8708991040, 8708999725	Support bracket of iron or steel, with mounting holes, whether or not with fixation nuts, for connecting the gearbox to the car body for use in the manufacture of goods of Chapter 87	<15000 / liste rouge
1264754/2016	8714109050	Suspension damper tubes of 7050-t73 aluminium alloy, anodised on the inner surface, with a mean roughness (Ra) of the inner surface of not more than 0,4 and a maximum roughness height (Rt) of the inner surface of not more than 4,0	<15000 / liste rouge
1013674/2011	9001109030	Polymer optical fibre with: a poly(methyl methacrylate) core, a cladding of fluorinated polymer, a diameter of not more than 3,0 mm, and a length of more than 150 m, of a kind used in the manufacture of polymer fibre cables	Suspension supprimée en l'absence de demande de prolongation
1349100/2016	9001109040, 9001900018	Fibre optic plates: uncoated and unpainted, of a length of 30mm or more, but not more than 234.5mm, of a width of 7mm or more, but not more than 28mm, and of a height of 0.5mm or more, but not more than 3mm of a kind used in dental x-ray systems	<15000 / liste rouge
824923/2014	9001508030	Round organic uncut, semi-finished eyeglass lens with corrective effect, finished on one side, of a kind used for the manufacture of finished eyeglass lenses	≥15000 / liste verte
1452940/2016	9002110025	Infrared optical unit composed of a monocrystalline silicon lens with a diameter of 84 mm (± 0,1 mm) and a monocrystalline germanium lens with a diameter of 62 mm (± 0,05 mm) assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras	<15000 / liste rouge
1453621/2016	9002110035	Infrared optical unit composed of a silicon lens with a diameter of 29 mm (± 0,05 mm) and a monocrystalline calcium fluoride lens with a diameter of 26 mm (± 0,05 mm), assembled on a machined aluminium alloy support, of kind a used for thermal imaging cameras	<15000 / liste rouge
1453077/2016	9002110045	Infrared optical unit with lenses of silicon, germanium or chalcogenide glass of a diameter not more than 62 mm (± 0,05 mm), whether or not mounted on a machined aluminium alloy support of a kind used for thermal cameras or IP network cameras	≥15000 / liste verte
1453232/2016	9002110055	Infrared optical unit composed of a germanium lens with a diameter of 11 mm (± 0,05 mm), a monocrystalline calcium fluoride lens with a diameter of 14 mm (± 0,05 mm), and a silicon lens with a diameter of 17 mm (± 0,05 mm), assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras	<15000 / liste rouge
1453419/2016	9002110065	Infrared optical unit with a silicon lens with a diameter of 26 mm (± 0,1 mm), mounted on a machined aluminum alloy support, of a kind used for thermal imaging cameras	<15000 / liste rouge



Prolongation des suspensions au 1er janvier 2022 - listes verte-rouge

1453564/2016	9002110075	Infrared optical unit composed of a germanium lens with a diameter of 19 mm ( $\pm 0,05$ mm), a monocrystalline calcium fluoride lens with a diameter of 18 mm ( $\pm 0,05$ mm), a germanium lens with a diameter of 20,6 mm ( $\pm 0,05$ mm), assembled on a machined aluminium alloy support, of a kind used for thermal imaging cameras	<15000 / liste rouge
1264795/2016	9032890050	Gas panel for regulating and controlling of the gas flow rate, working with plasma technology, comprising an electronic mass flow regulator, suitable for receiving and sending of analogue and digital signals four pressure transducers, two or more pressure valves, electric interfaces and several connectors for gas lines suitable for in-situ plasma bonding processes or for multi frequency bond activating processes	≥15000 / liste verte