

**Avis et communications  
de la  
Direction générale des douanes et droits indirects**

Avis aux importateurs  
de  
certains produits agricoles et industriels admissibles au bénéfice de suspensions et contingents  
tarifaires autonomes

Afin d'assurer un approvisionnement suffisant et continu de certains produits agricoles et industriels qui ne sont pas disponibles ou dont la production est trop faible dans l'Union, les droits autonomes du tarif douanier commun sur ces produits ont été suspendus par les règlements (UE) 1387/2013 et 1388/2013 (JO L354 du 28.12.2013)<sup>1</sup>. Ces produits peuvent être importés dans l'Union européenne à des taux de droit de douane réduits ou nuls.

Lorsqu'une suspension tarifaire autonome entre en vigueur, elle reste valable cinq ans renouvelables (ou jusqu'à ce qu'une entreprise européenne s'oppose à sa reconduction). Dans le but de s'assurer de l'utilisation suffisante (au-delà des 15 000 euros de droits de douane économisés par an), la Commission européenne procède à un suivi statistique.

L'attention des importateurs est appelée sur la publication, à la fin de cet avis, du résultat de cette étude pour le cycle de janvier 2023 :

- La liste « verte » reprend les suspensions tarifaires reconduites automatiquement compte tenu des montants de droits économisés par les entreprises (sauf en cas d'opposition économique).
- La liste « rouge » reprend les suspensions qui ne dépassent pas le seuil des 15 000 euros d'économie de droits de douane et nécessitent l'envoi d'une demande de prolongation<sup>2</sup> à la Commission ; à défaut, ces mesures seront supprimées.

Aussi, compte-tenu du retrait du Royaume-Uni de l'UE, certaines suspensions non renouvelées par la délégation britannique sont susceptibles d'être supprimées au 1<sup>er</sup> janvier 2023. Les importateurs transformateurs de l'Union qui souhaitent maintenir ces mesures devront déposer une demande de prolongation<sup>2</sup> en précisant les transformations du produit importé et les coordonnées de l'usine<sup>3</sup>.

Les entreprises utilisatrices d'une suspension non renouvelée peuvent demander le maintien de cette mesure en adressant un formulaire de prolongation<sup>2</sup>, dûment rempli, au bureau de la politique tarifaire et commerciale de la DGDDI à l'adresse suivante :

[dg-comint3-suspensions@douane.finances.gouv.fr](mailto:dg-comint3-suspensions@douane.finances.gouv.fr), **avant le 10 avril 2022.**

---

1 Modifiés par les règlements (UE) 2021/22781 (JO L466 du 29.12.2021) et 2021/22832 (JO L458 du 22.12.2021)

2 <https://www.douane.gouv.fr/demarche/beneficier-dune-suspension-ou-dun-contingent-tarifaire-autonome> (rubrique Formulaires)

3 Ces informations pourront être ajoutées dans la partie II du formulaire

## Prolongation des suspensions au 1er janvier 2023 – Listes verte-rouge

**≥15 000 / liste verte** *La mesure sera prolongée automatiquement (si elle ne fait l'objet d'aucune opposition).*

**<15 000 / liste rouge** *La mesure n'est pas utilisée au-delà des 15 000 euros de droits de douane économisés par an et sera supprimée au 1<sup>er</sup> janvier 2023 si aucune demande de prolongation n'est formulée.*

**Suspension supprimée en l'absence de demande de prolongation** *A la suite du Brexit, la mesure n'a pas fait l'objet de prolongation et sera supprimée fin 2022 si aucune demande de prolongation n'est déposée par un importateur transformateur européen.*

Numéro TAXUD de la mesure	Code TARIC	Libellé (en anglais)	Statut
1/1/1999	1511901920, 1511909120, 1513111020, 1513193020, 1513211020, 1513293020	#Palm oil, coconut (copra) oil, palm kernel oil, for the manufacture of:### # industrial monocarboxylic fatty acids of subheading 3823 19 10, # methyl esters of fatty acids of heading 2915 or 2916, # fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, # fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, # stearic acid of subheading 3823 11 00, # goods of heading 3401, or # fatty acids with high purity of heading 2915 #	<b>≥15 000 / liste verte</b>
3812219/2015	1512191010	#Refined safflower oil (CAS RN 8001-23-8) for use in the manufacture of#### # conjugated linoleic acid of heading 3823 or # ethyl- or methyl esters of linoleic acid of heading 2916 #	<b>&lt;15 000 / liste rouge</b>
1113066/2012	2007995083, 2007995093, 2007999310	#Mango puree concentrate, obtained by cooking:### # of the Genus <i>Mangifera</i> spp. , # with a sugar content by weight of not more than 30 % # ####for use in the manufacture of products of food and drink industry#	<b>Suspension supprimée en l'absence de demande de prolongation</b>
1112993/2012	2007995084, 2007995094	#Papaya puree concentrate, obtained by cooking:### # of the Genus <i>Carica</i> spp. , # with a sugar content by weight of more than 13 % but not more than 30 % # ####for use in the manufacture of products of food and drink industry#	<b>Suspension supprimée en l'absence de demande de prolongation</b>
1112921/2012	2007995085, 2007995095	#Guava puree concentrate, obtained by cooking:### # of the Genus <i>Psidium</i> spp. , # with a sugar content by weight of more than 13 % but not more than 30 % # ####for use in the manufacture of products of food and drink industry#	<b>Suspension supprimée en l'absence de demande de prolongation</b>
247869/2009	2008939120	#Sweetened dried cranberries, excluding packing alone as processing, for the manufacture of products of food processing industries#	<b>≥15 000 / liste verte</b>
635208/2010	2008994894	#Mango puree:### # not from concentrate, # of the genus <i>Mangifera</i> , # of a Brix value of 14 or more, but not more than 20, # ####used in the manufacture of products of drink industry#	<b>≥15 000 / liste verte</b>
312338/2012	2008994970, 2008999911	#Blanched vine leaves of the genus <i>Karakishmish</i> , in brine, containing by weight:### # more than 6 % of salt concentration, # 0,1 % or more but not more than 1,4 % of	<b>≥15 000 / liste verte</b>

		acidity expressed as citric acid monohydrate and # whether or not but not more than 2 000 mg/kg of sodium benzoate according CODEX STAN 192-1995 # ####for use in the manufacture of stuffed vine leaves with rice#	
1565336/2017	2106909250	#Casein protein hydrolysate consisting of:### # by weight 20 % or more but not more than 70 % free amino acids, and # peptones of which by weight more than 90 % having a molecular weight of not more than 2000 Da #	≥15 000 / liste verte
4639141/2017	2106909847	#Preparation, having a moisture content of 1 % or more but not more than 4 %, and containing by weight:## 15 % or more but not more than 35 % of buttermilk, 20 % (±10 %) of lactose, 20 % (±10 %) of whey protein concentrate, 15 % (±10 %) of cheddar cheese, 3 % (±2 %) of salt, 0,1 % or more but not more than 10 % of lactic acid E270, 0,1 % or more but not more than 10 % of gum arabic E414 #for use in the manufacture of products of food and drink industry#	<15 000 / liste rouge
4509576/2017	2712909910	#Blend of 1-alkenes containing by weight 90 % or more 1-alkenes of a chain length of 24 carbon atoms or more but not more than 1 % 1-alkenes of a chain length of more than 70 carbon atoms#	≥15 000 / liste verte
313390/2013, 343255/2013, 371450/2013, 383834/2013, 499762/2013	2804701000	#Red phosphorus#	≥15 000 / liste verte
323514/2012	2805199020	#Lithium metal (CAS RN 7439-93-2) of a purity by weight of 98,8 % or more#	≥15 000 / liste verte
3863286/2015	2811220015	#Amorphous silicon dioxide (CAS RN 60676-86-0)### # in the form of powder # of a purity by weight of 99,0 % or more # with a median grain size of 0,7 µm or more, but not more than 2,1 µm # where 70 % of the particles have a diameter of not more than 3 µm #	<15 000 / liste rouge
1500331/2017	2811299010	#Tellurium dioxide (CAS RN 7446-07-3)#	≥15 000 / liste verte
305455/2012	2816400010	#Barium hydroxide (CAS RN 17194-00-2)#	≥15 000 / liste verte
294577/2011, 446/2/1995	2823000010	#Titanium dioxide (CAS RN 13463-67-7):### # of a purity by weight of 99,9 % or more, # with an average grain-size of 0,7 µm or more but not more than 2,1 µm #	≥15 000 / liste verte
323355/2012	2825100010	#Hydroxylammonium chloride (CAS RN 5470-11-1)#	≥15 000 / liste verte
285068/2012	2825600010	#Zirconium dioxide (CAS RN 1314-23-4)#	≥15 000 / liste verte
631004/2010	2833298030	#Zirconium sulphate (CAS RN 14644-61-2)#	Suspension supprimée en l'absence de demande de prolongation
1167/07	2835100010	#Sodium hypophosphite monohydrate (CAS RN 10039-56-2)#	≥15 000 / liste verte
1168/07	2839190010	Disodium disilicate (CAS RN 13870-28-5)	<15 000 / liste rouge
1134/07	2841800010	#Diammonium wolframate (ammonium paratungstate) (CAS RN 11120-25-5) #	≥15 000 / liste verte
1563923/2017	2841903010	#Potassium metavanadate (CAS RN 13769-43-2)#	≥15 000 / liste verte
4509652/2017	2842100050	#Fluorphlogopite (CAS RN 12003-38-2)#	≥15 000 / liste verte
4509612/2017	2842908030	#Aluminum trititanium dodecachloride (CAS RN 12003-13-3)#	<15 000 / liste rouge

1155/07	2850002030	#Titanium nitride (CAS RN 25583-20-4) with a particle size of not more than 250 nm#	<15 000 / liste rouge
1514483/2017	2850002060	#Disilane (CAS RN 1590-87-0)#	≥15 000 / liste verte
1090164/2012	TARIC code before 2022: 2903393100 TARIC code in 2022: 2903510010	#2,3,3,3-Tetrafluoroprop-1-ene (2,3,3,3-tetrafluoropropene) (CAS RN 754-12-1)#	≥15 000 / liste verte
1525373/2017	TARIC code before 2022: 2903393940 TARIC code in 2022: 2903590040	#1,1,2,3,4,4-Hexafluorobuta-1,3-diene (CAS RN 685-63-2)#	≥15 000 / liste verte
1503351/2017	TARIC code before 2022: 2903391920 TARIC code in 2022: 2903691920	#5-Bromopent-1-ene (CAS RN 1119-51-3)#	<15 000 / liste rouge
1048229/2012	2903898050	#Chlorocyclopentane (CAS RN 930-28-9)#	≥15 000 / liste verte
1514559/2017	2903898060	#Octafluorocyclobutane (CAS RN 115-25-3)#	≥15 000 / liste verte
4489999/2017	2903998060	#1,1'-Methanediylbis(4-fluorobenzene) (CAS RN 457-68-1)#	<15 000 / liste rouge
1203/1/1979, 146280/2010	2904200020	#Nitroethane (CAS RN 79-24-3)#	≥15 000 / liste verte
323492/2012	2904990040	#4-Chlorobenzenesulphonyl chloride (CAS RN 98-60-2)#	≥15 000 / liste verte
287186/2012	2905190070	#Titanium tetrabutanolate (CAS RN 5593-70-4)#	≥15 000 / liste verte
287141/2012	2905190080	#Titanium tetraisopropoxide (CAS RN 546-68-9)#	≥15 000 / liste verte
4503810/2017	2905299010	#Cis-hex-3-en-1-ol (CAS RN 928-96-1)#	≥15 000 / liste verte
254904/2011, 5501275/2016	2905399520	#Butane-1,2-diol (CAS RN 584-03-2)#	<15 000 / liste rouge
1104520/2012	2905399540	#Decane-1,10-diol (CAS RN 112-47-0)#	≥15 000 / liste verte
1111621/2012	2906290030	#2-Phenylethanol (CAS RN 60-12-8)#	Suspension supprimée en l'absence de demande de prolongation
3655112/2015	2906290040	#2-Bromo-5-iodo-benzenemethanol (CAS RN 946525-30-0)#	<15 000 / liste rouge
4610103/2017	2906290050	#2,2'-(m-Phenylene)dipropan-2-ol (CAS RN 1999-85-5)#	≥15 000 / liste verte
1338664/2016	2909309080	#Oxyfluorfen (ISO) (CAS RN 42874-03-3) with a purity by weight of 97 % or more#	Suspension supprimée en l'absence de demande de prolongation
1564222/2017	2912290035	#Cinnamaldehyde (CAS RN 104-55-2)#	≥15 000 / liste verte
4509799/2017	2912290045	#p-Phenylbenzaldehyde (CAS RN 3218-36-8)#	<15 000 / liste rouge
329394/2012	2912490020	#4-Hydroxybenzaldehyde (CAS RN 123-08-0)#	Suspension supprimée en l'absence de demande de prolongation
4422644/2017	2912490050	#2,6-Dihydroxybenzaldehyde (CAS RN 387-46-2)#	≥15 000 / liste verte

1045/2007	2914199020	#Heptan-2-one (CAS RN 110-43-0)#	≥15 000 / liste verte
1046/2007	2914199030	#3-Methylbutanone (CAS RN 563-80-4)#	≥15 000 / liste verte
1047/2007	2914199040	#Pentan-2-one (CAS RN 107-87-9)#	≥15 000 / liste verte
1008909/2011	2914290050	# trans -β-Damascone (CAS RN 23726-91-2)#	Suspension supprimée en l'absence de demande de prolongation
4632248/2017	2914290070	#2-sec-Butylcyclohexanone (CAS RN 14765-30-1)#	Suspension supprimée en l'absence de demande de prolongation
4503840/2017	2914290080	#1-(Cedr-8-en-9-yl)ethanone (CAS RN 32388-55-9)#	Suspension supprimée en l'absence de demande de prolongation
1013/2007	2914390030	#Benzophenone (CAS RN 119-61-9)#	≥15 000 / liste verte
320238/2012	2914390070	#Benzil (CAS RN 134-81-6)#	<15 000 / liste rouge
287195/2012	2914390080	#4'-Methylacetophenone (CAS RN 122-00-9)#	≥15 000 / liste verte
1090972/2012	2914500045	#3,4-Dihydroxybenzophenone (CAS RN 10425-11-3)#	≥15 000 / liste verte
1015/2007	2914500060	#2,2-Dimethoxy-2-phenylacetophenone (CAS RN 24650-42-8)#	≥15 000 / liste verte
3655587/2015	2914500075	#7-Hydroxy-3,4-dihydro-1(2H)-naphthalenone (CAS RN 22009-38-7)#	<15 000 / liste rouge
1065611/2012	2914790020	#2,4'-Difluorobenzophenone (CAS RN 342-25-6)#	≥15 000 / liste verte
4638366/2017	2915390010	#Cis-3-hexenyl acetate (CAS RN 3681-71-8)#	Suspension supprimée en l'absence de demande de prolongation
4632314/2017	2915390030	#4- tert -Butylcyclohexyl acetate (CAS RN 32210-23-4)#	Suspension supprimée en l'absence de demande de prolongation
1111709/2012	2915601910	#Ethyl butyrate (CAS RN 105-54-4)#	Suspension supprimée en l'absence de demande de prolongation
4509828/2017	2915907020	#Methyl (R)-2-fluoropropionate (CAS RN 146805-74-5)#	≥15 000 / liste verte
1048248/2012	2915907030	#3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)#	≥15 000 / liste verte
1090946/2012	2916120070	#2-(2-Vinyloxyethoxy)ethyl acrylate (CAS RN 86273-46-3)#	<15 000 / liste rouge
4632366/2017	2916200020	#Mixture of the (1S,2R,6R,7R)-and(1R,2R,6R,7S)-isomers of ethyl tricyclo[5.2.1.0(2,6)]decane-2-carboxylate (CAS RNs 80657-64-3 and 80623-07-0)#	<15 000 / liste rouge
1016/2007	2916399055	#4- tert -Butylbenzoic acid (CAS RN 98-73-7 )#	≥15 000 / liste verte
305474/2012	2916399075	# m -Toluic acid (CAS RN 99-04-7)#	≥15 000 / liste verte
305543/2012	2916399085	##(2,4,5-Trifluorophenyl)acetic acid (CAS RN 209995-38-0)##### #	≥15 000 / liste verte
287214/2012	2917191020	#Diethyl malonate (CAS RN 105-53-3)#	≥15 000 / liste verte
1053938/2012	2918290035	#Propyl 3,4,5-trihydroxybenzoate (CAS RN 121-79-9)#	≥15 000 / liste verte
4419266/2017	2918300015	#2-Fluoro-5-formylbenzoic acid (CAS RN 550363-85-4)#	<15 000 / liste rouge

1111680/2012	2918300050	#Ethyl acetoacetate (CAS RN 141-97-9)#	Suspension supprimée en l'absence de demande de prolongation
1111654/2012	2918999015	#Ethyl 2,3-epoxy-3-phenylbutyrate (CAS RN 77-83-8)#	Suspension supprimée en l'absence de demande de prolongation
1489058/2017	2918999027	#Ethyl 3-ethoxypropionate (CAS RN 763-69-9)#	≥15 000 / liste verte
4488741/2017	2918999038	#Diclofop-methyl (ISO) (CAS RN 51338-27-3)#	≥15 000 / liste verte
1296542/2017	2920290015	#Phosphorous acid 3,3',5,5'-tetrakis(1,1-dimethylethyl)-6,6'-dimethyl[1,1'-biphenyl]-2,2'-diyl tetra-1-naphthalenyl ester (CAS RN 198979-98-5)#	<15 000 / liste rouge
1042303/2012	2920901060	#2,4-Di- tert -butyl-5-nitrophenyl methyl carbonate (CAS RN 873055-55-1)#	<15 000 / liste rouge
328077/2012	2921130000	#2-( N,N -Diethylamino)ethyl chloride hydrochloride (CAS RN 869-24-9)#	<15 000 / liste rouge
328244/2012	2921199970	# N,N -Dimethyloctylamine – boron trichloride (1:1) (CAS RN 34762-90-8)#	<15 000 / liste rouge
1048266/2012	2921309940	#Cyclopropylamine (CAS RN 765-30-0)#	≥15 000 / liste verte
318053/2012	2921420086	#2,5-Dichloroaniline (CAS RN 95-82-9)#	≥15 000 / liste verte
287298/2012	2921420087	# N -Methylaniline (CAS RN 100-61-8)#	≥15 000 / liste verte
318166/2012	2921420088	#3,4-Dichloroaniline-6-sulphonic acid (CAS RN 6331-96-0)#	≥15 000 / liste verte
1564151/2017	2921450060	#1-Naphthylamine (CAS RN 134-32-7)#	≥15 000 / liste verte
1564197/2017	2921450070	#8-Aminonaphthalene-2-sulphonic acid (CAS RN 119-28-8)#	<15 000 / liste rouge
	2921599030	#3,3'-Dichlorobenzidine dihydrochloride (CAS RN 612-83-9)#	≥15 000 / liste verte
165772/2012	2921599060	#(2R,5R)-1,6-Diphenylhexane-2,5-diamine dihydrochloride (CAS RN 1247119-31-8)#	<15 000 / liste rouge
1042333/2012	2922190020	#2-(2-Methoxyphenoxy)ethylamine hydrochloride (CAS RN 64464-07-9)#	≥15 000 / liste verte
4609918/2017	2922390015	#2-Amino-3,5-dibromobenzaldehyde (CAS RN 50910-55-9)#	<15 000 / liste rouge
318249/2012	2922498520	#3-Amino-4-chlorobenzoic acid (CAS RN 2840-28-0)#	≥15 000 / liste verte
3962007/2015	2922498530	#Aqueous solution containing 40 % by weight or more of sodium methylaminoacetate (CAS RN 4316-73-8)#	Suspension supprimée en l'absence de demande de prolongation
1017/2007	2922498560	#Ethyl-4-dimethylaminobenzoate (CAS RN 10287-53-3)#	≥15 000 / liste verte
1445698/2017	2922498575	#L-alanine isopropyl ester hydrochloride (CAS RN 62062-65-1)##### #	<15 000 / liste rouge
1489079/2017	2922500015	#3,5-Diiodothyronine (CAS RN 1041-01-6)#	≥15 000 / liste verte
1489107/2017	2924190025	#Isobutylidenediurea (CAS RN 6104-30-9)#	<15 000 / liste rouge
287332/2012	2924190080	#Tetrabutylurea (CAS RN 4559-86-8)#	≥15 000 / liste verte
318373/2012	2924297053	#4-Amino- N -[4-(aminocarbonyl)phenyl]benzamide (CAS RN 74441-06-8)#	≥15 000 / liste verte
1008923/2011	2924297063	# N -Ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide (CAS RN 39711-79-0) #	Suspension supprimée en l'absence de demande de prolongation

1022/2007	2924297086	#Anthranilamide (CAS RN 88-68-6) of a purity by weight of 99,5 % or more#	Suspension supprimée en l'absence de demande de prolongation
305509/2012	2925199520	#4,5,6,7-Tetrahydroisindole-1,3-dione (CAS RN 4720-86-9)#	≥15 000 / liste verte
320086/2012	2925199530	# N,N' -( m -Phenylene)dimaleimide (CAS RN 3006-93-7)#	≥15 000 / liste verte
4632435/2017	2926907015	#2-Cyclohexylidene-2-phenylacetonitrile (CAS RN 10461-98-0)#	Suspension supprimée en l'absence de demande de prolongation
4509883/2017	2926907018	#Flumethrin (ISO) (CAS RN 69770-45-2)#	≥15 000 / liste verte
4509853/2017	2926907033	#Deltamethrin (ISO) (CAS RN 52918-63-5)#	≥15 000 / liste verte
4613845/2017	2927000025	#2,2'-Azobis(4-methoxy-2,4-dimethylvaleronitrile) (CAS RN 15545-97-8)#	≥15 000 / liste verte
318303/2012	2927000080	#4-[(2,5-Dichlorophenyl)azo]-3-hydroxy-2-naphthoic acid (CAS RN 51867-77-7)#	<15 000 / liste rouge
1096774/2012	2929100020	#Butyl isocyanate (CAS RN 111-36-4)#	Suspension supprimée en l'absence de demande de prolongation
578966/2010	2929100055	#2,5 (and 2,6)-Bis(isocyanatomethyl)bicyclo[2.2.1]heptane (CAS RN 74091-64-8)#	<15 000 / liste rouge
3428/06	2929100080	#1,3-Bis(isocyanatomethyl)benzene (CAS RN 3634-83-1)#	<15 000 / liste rouge
303483/2011	2930200020	#2-Isopropylethylthiocarbamate (CAS RN 141-98-0)#	Suspension supprimée en l'absence de demande de prolongation
1082/2007	TARIC code before 2022: 2930200010 TARIC code in 2022: 2930200040	#Prosulfocarb (ISO) (CAS RN 52888-80-9) with purity by weight of 97 % or more#	≥15 000 / liste verte
579140/2010	2930909810	#2,3-Bis((2-mercaptoethyl)thio)-1-propanethiol (CAS RN 131538-00-6)#	<15 000 / liste rouge
1008893/2011	2930909813	#Mercaptamine hydrochloride (CAS RN 156-57-0)#	Suspension supprimée en l'absence de demande de prolongation
579001/2010	2930909865	#Pentaerythritol tetrakis(3-mercaptopropionate) (CAS RN 7575-23-7)#	<15 000 / liste rouge
1079/2007	2930909868	#Clethodim (ISO) (CAS RN 99129-21-2)#	≥15 000 / liste verte
320028/2012	TARIC code before 2022: 2931399008 TARIC code in 2022: 2931499008	#Sodium diisobutylidithiophosphinate (CAS RN 13360-78-6) in an aqueous solution#	≥15 000 / liste verte
1042358/2012	TARIC code before 2022: 2931399025 TARIC code	#( Z )-Prop-1-en-1-ylphosphonic acid (CAS RN 25383-06-6)#	≥15 000 / liste verte

	in 2022: 2931499025		
4422677/2017	2931900010	#(3-Fluoro-5-isobutoxyphenyl)boronic acid (CAS RN 850589-57-0)#	<15 000 / liste rouge
1562984/2017	2931900020	#Ferrocene (CAS RN 102-54-5)#	<15 000 / liste rouge
3939533/2015	2931900063	#Chloroethenyldimethylsilane (CAS RN 1719-58-0)#	Suspension supprimée en l'absence de demande de prolongation
3962068/2015	2931900065	#Bis(4-tert-butylphenyl)iodonium hexafluorophosphate (CAS RN 61358-25-6)#	Suspension supprimée en l'absence de demande de prolongation
305526/2012	2932209040	#( S )-( - )-α-Amino-γ-butyrolactone hydrobromide (CAS RN 15295-77-9)#	≥15 000 / liste verte
1565410/2017	2932209050	#L-Lactide (CAS RN 4511-42-6) or D-Lactide (CAS RN 13076-17-0) or dilactide (CAS RN 95-96-5)#	≥15 000 / liste verte
4636962/2017	2932990023	#2-Ethyl-3-hydroxy-4-pyrone (CAS RN 4940-11-8)#	≥15 000 / liste verte
1042379/2012	2932990025	#1-(2,2-Difluorobenzod[1,3]dioxol-5-yl)cyclopropanecarboxylic acid (CAS RN 862574-88-7)#	≥15 000 / liste verte
806/06	2932990075	#3-(3,4-Methylenedioxyphenyl)-2-methylpropanal (CAS RN 1205-17-0)#	Suspension supprimée en l'absence de demande de prolongation
1095031/2012	2933299080	#Imazalil (ISO) (CAS RN 35554-44-0)#	≥15 000 / liste verte
287365/2012	2933399912	#2,3-Dichloropyridine (CAS RN 2402-77-9)#	≥15 000 / liste verte
3815462/2015	2933399914	#N,4-Dimethyl-1-(phenylmethyl)- 3-piperidinamine hydrochloride (1:2) (CAS RN 1228879-37-5)#	<15 000 / liste rouge
239432/2009	2933399920	#Copper pyrithione powder (CAS RN 14915-37-8)#	Suspension supprimée en l'absence de demande de prolongation
3815528/2015	2933399926	#2-[4-(Hydrazinylmethyl)phenyl]-pyridine dihydrochloride (CAS RN 1802485-62-6)#	<15 000 / liste rouge
1500584/2017	2933399936	#1-[2-[5-Methyl-3-(trifluoromethyl)-1H-pyrazol-1-yl]acetyl]piperidine-4-carbothioamide (CAS RN 1003319-95-6)#	≥15 000 / liste verte
4422468/2017	2933399938	#(2-Chloropyridin-3-yl) methanol (CAS RN 42330-59-6)#	≥15 000 / liste verte
4422608/2017	2933399939	#2,6-Dichloropyridine-3-carboxamide (CAS RN 62068-78-4)#	<15 000 / liste rouge
4490035/2017	2933399951	#2,5-Dichloro-4,6-dimethylnicotinonitrile (CAS RN 91591-63-8)#	Suspension supprimée en l'absence de demande de prolongation
1042477/2012	2933399957	# Tert -butyl 3-(6-amino-3-methylpyridin-2-yl)benzoate (CAS RN 1083057-14-0)#	≥15 000 / liste verte
1042499/2012	2933491030	#Ethyl 4-oxo-1,4-dihydroquinoline-3-carboxylate (CAS RN 52980-28-6)#	<15 000 / liste rouge
4609879/2017	2933599522	#6-chloro-1,3-dimethyluracil (CAS RN 6972-27-6)#	<15 000 / liste rouge
4419296/2017	2933599524	#1-(Cyclopropylcarbonyl)piperazine hydrochloride (CAS RN 1021298-67-8)#	<15 000 / liste rouge



4546001/2017	2933599526	#5-Fluoro-4-hydrazino-2-methoxypyrimidine (CAS RN 166524-64-7)#	<15 000 / liste rouge
305555/2012	2933599577	#3-(Trifluoromethyl)-5,6,7,8-tetrahydro[1,2,4]triazolo[4,3-a]pyrazine hydrochloride (1:1) (CAS RN 762240-92-6)#	≥15 000 / liste verte
4419345/2017	2933790025	#Methyl 2-oxo-2,3-dihydro-1H-indole-6-carboxylate (CAS RN 14192-26-8)#	<15 000 / liste rouge
1077/2007	2933790030	5-Vinyl-2-pyrrolidone (CAS RN 7529-16-0)	≥15 000 / liste verte
318320/2012	2933998024	#1,3-Dihydro-5,6-diamino-2 H -benzimidazol-2-one (CAS RN 55621-49-3)#	≥15 000 / liste verte
1497747/2017	2933998041	#5-[4'-(Bromomethyl)biphenyl-2-yl]-1-trityl-1H-tetrazole (CAS RN 124750-51-2)#####	≥15 000 / liste verte
1497677/2017	2933998046	##(S)-Indoline-2-carboxylic acid (CAS RN 79815-20-6)#	≥15 000 / liste verte
1091283/2012	2933998047	#Paclobutrazol (ISO) (CAS RN 76738-62-0)#	≥15 000 / liste verte
4513002/2017	2933998048	#5-Amino-6-methyl-2-benzimidazolone (CAS RN 67014-36-2)#	≥15 000 / liste verte
165822/2012	2934100015	#4-Nitrophenyl thiazol-5-ylmethyl carbonate (CAS RN 144163-97-3)#	<15 000 / liste rouge
165800/2012	2934100025	##(S)-Ethyl-2-(3-((2-isopropylthiazol-4-yl)methyl)-3-methylureido)-4-morpholinobutanoate oxalate (CAS RN 1247119-36-3)#	<15 000 / liste rouge
305421/2012	2934100035	##(2-Isopropylthiazol-4-yl)- N -methylethylamine dihydrochloride (CAS RN 1185167-55-8)#	≥15 000 / liste verte
1565183/2017	2934208015	##Benthiavalicarb-isopropyl (ISO) (CAS RN 177406-68-7)#	≥15 000 / liste verte
1184/07	2934208025	#1,2-Benzisothiazol-3(2H)-one (CAS RN 2634-33-5) in the form of a powder with a purity by weight of 95 % or more, or in an aqueous mixture containing by weight 20 % or more of 1,2-benzisothiazol-3(2H)-one#	Suspension supprimée en l'absence de demande de prolongation
114170/2010	2934208060	##Benzothiazol-2-yl-(Z)-2-trityloxyimino-2-(2-aminothiazole-4-yl)-thioacetate (CAS RN 143183-03-3)#	<15 000 / liste rouge
305398/2012	2934309010	#2-Methylthiophenothiazine (CAS RN 7643-08-5)#	≥15 000 / liste verte
1091089/2012	2934999037	#4-Propan-2-ylmorpholine (CAS RN 1004-14-4)#	≥15 000 / liste verte
1489124/2017	2934999052	##Epoconazole (ISO) (CAS RN 133855-98-8)#	≥15 000 / liste verte
1565216/2017	2934999054	#2-Benzyl-2-dimethylamino-4'-morpholinobutyrophenone (CAS RN 119313-12-1)#	<15 000 / liste rouge
1500627/2017	2934999056	#1-[5-(2,6-Difluorophenyl)-4,5-dihydro-1,2-oxazol-3-yl]ethanone (CAS RN 1173693-36-1)#	≥15 000 / liste verte
1309539/2017	2934999057	##(6R,7R)-7-Amino-8-oxo-3-(1-propenyl)-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid (CAS RN 120709-09-3)#####	<15 000 / liste rouge
4692977/2017	2934999059	##Dolutegravir (INN) (CAS RN 1051375-16-6) or dolutegravir sodium (CAS RN 1051375-19-9)#	≥15 000 / liste verte
1020/2007	2934999074	#2-Isopropylthioxanthone (CAS RN 5495-84-1)#	≥15 000 / liste verte
4692923/2017	2935909040	##Venetoclax (INN) (CAS RN 1257044-40-8)#	≥15 000 / liste verte
305429/2012	2935909073	##(2S)-2-Benzyl- N,N -dimethylaziridine-1-sulfonamide (CAS RN 902146-43-4)#	<15 000 / liste rouge
1522664/2017	2938909030	##Rebaudioside A (CAS RN 58543-16-1)#	≥15 000 / liste verte
1522623/2017	2938909040	##Purified steviol glycoside with a rebaudioside M (CAS RN 1220616-44-3) content of 80 % or more but not more than 90 % by weight for use in the manufacture of non-alcoholic	<15 000 / liste rouge

		beverages#	
1001767/2015	3201909040, 3202900010	#Reaction product of Acacia mearnsii extract, ammonium chloride and formaldehyde (CAS RN 85029-52-3)#	Suspension supprimée en l'absence de demande de prolongation
1515181/2017	3204110035	#Colourant C.I Disperse Yellow 232 (CAS RN 35773-43-4) and preparations based thereon with a colourant C.I Disperse Yellow 232 of 50 % or more by weight#	<15 000 / liste rouge
247748/2011	3204110040	#Colourant C.I. Disperse Red 60 (CAS RN 17418-58-5) and preparations based thereon with a colourant C.I. Disperse Red 60 content of 50 % or more by weight#	Suspension supprimée en l'absence de demande de prolongation
300340/2011	3204110050	#Colourant C.I. Disperse Blue 72 (CAS RN 81-48-1) and preparations based thereon with a colourant C.I. Disperse Blue 72 content of 95 % or more by weight#	Suspension supprimée en l'absence de demande de prolongation
247805/2011	3204110060	#Colourant C.I. Disperse Blue 359 (CAS RN 62570-50-7) and preparations based thereon with a colourant C.I. Disperse Blue 359 content of 50 % or more by weight#	Suspension supprimée en l'absence de demande de prolongation
989532/2011	3204120010	#Colourant C.I. Acid Blue 9 (CAS RN 2650-18-2) and preparations based thereon with a colourant C.I. Acid Blue 9 content of 50 % or more by weight#	Suspension supprimée en l'absence de demande de prolongation
4546104/2017	3204130015	#Colourant C.I. Basic Blue 41 (CAS RN 12270-13-2) and preparations based thereon with a colourant C.I. Basic Blue 41 content of 50 % or more by weight#	≥15 000 / liste verte
4546154/2017	3204130025	#Colourant C.I. Basic Red 46 (CAS RN 12221-69-1) and preparations based thereon with a colourant C.I. Basic Red 46 content of 20 % or more by weight#	<15 000 / liste rouge
4546201/2017	3204130035	#Colourant C.I. Basic Yellow 28 (CAS RN 54060-92-3) and preparations based thereon with a colourant C.I. Basic Yellow 28 content of 50 % or more by weight#	≥15 000 / liste verte
1090288/2012	3204130040	#Colourant C.I. Basic Violet 1 (CAS RN 603-47-4 or CAS RN 8004-87-3) and preparations based thereon with a colourant C.I. Basic Violet 1 content of 90 % or more by weight#	≥15 000 / liste verte
4546229/2017	3204130045	#Mixture of colourant C.I. Basic Blue 3 (CAS RN 33203-82-6) and colourant C.I. Basic Blue 159 (CAS RN 105953-73-9) with a colourant Basic Blue content of 40 % or more by weight#	<15 000 / liste rouge
4548665/2017	3204160040	#Aqueous solution of Colourant C.I. Reactive Red 141 (CAS RN 61931-52-0)## with a colourant C.I. Reactive Red 141 content of 13 % or more by weight, and containing a preservative	≥15 000 / liste verte
1489188/2017	3204170026	#Colourant C.I. Pigment Orange 13 (CAS RN 3520-72-7) and preparations based thereon with a colourant C.I. Pigment Orange 13 content of 80 % or more by weight#	≥15 000 / liste verte
4505704/2017	3204170029	#Colourant C.I. Pigment Red 268 (CAS RN 16403-84-2) and preparations based thereon with a Colourant C.I. Pigment Red 268 content of 80 % or more by weight#	<15 000 / liste rouge
1096809/2012	3204170075	#Colourant C.I. Pigment Orange 5 (CAS RN 3468-63-1) and preparations based thereon with a colourant C.I. Pigment Orange 5 content of 80 % or more by weight#	Suspension supprimée en l'absence de demande

			de prolongation
320306/2012	3204170080	#Colourant C.I. Pigment Red 207 (CAS RN 71819-77-7) and preparations based thereon with a colourant C.I. Pigment Red 207 content of 50 % or more by weight#	<15 000 / liste rouge
326809/2012	3204170085	#Colourant C.I. Pigment Blue 61 (CAS RN 1324-76-1) and preparations based thereon with a colourant C.I. Pigment Blue 61 content of 35 % or more by weight#	≥15 000 / liste verte
326853/2012	3204170088	#Colourant C.I. Pigment Violet 3 (CAS RN 1325-82-2 or CAS RN 101357-19-1) and preparations based thereon with a colourant C.I. Pigment Violet 3 content of 90 % or more by weight#	Suspension supprimée en l'absence de demande de prolongation
1489199/2017	3204190016	#Colourant C.I. Solvent Yellow 133 (CAS RN 51202-86-9) and preparations based thereon with a colourant C.I. Solvent Yellow 133 content of 97 % or more by weight#	<15 000 / liste rouge
326949/2012	3204190084	#Colourant C.I. Solvent Blue 67 (CAS RN 12226-78-7) and preparations based thereon with a colourant C.I. Solvent Blue 67 content of 98 % or more by weight#	<15 000 / liste rouge
1523974/2017	3204900020	#Preparations of colourant C.I. Solvent Red 175 (CAS RN 68411-78-6) in petroleum distillates, hydrotreated light naphthenic (CAS RN 64742-53-6), containing by weight 40 % or more but not more than 60 % of a colourant C.I. Solvent Red 175#	<15 000 / liste rouge
1515121/2017	3206497030	#Colourant C.I. Pigment Black 12 (CAS RN 68187-02-0) and preparations based thereon with a C.I. Pigment Black 12 content of 50 % or more by weight#	<15 000 / liste rouge
4505654/2017	3206497040	#Colourant C.I. Pigment Blue 27 (CAS RN 25869-00-5) and preparations thereon with a colourant C.I. Pigment Blue 27 content of 85 % or more by weight#	Suspension supprimée en l'absence de demande de prolongation
1096793/2012	3207408540	#Glass flakes (CAS RN 65997-17-3):### # of a thickness of 0,3 µm or more but not more than 10 µm, and # coated with titanium dioxide (CAS RN 13463-67-7) or iron oxide (CAS RN 18282-10-5) #	<15 000 / liste rouge
312663/2012	3208901925, 3904698089	#Tetrafluoroethylene copolymer in butylacetate solution with a content of solvent of 50 % (± 2 %) by weight#	<15 000 / liste rouge
1085/2007	3208901975	#Acenaphthalene copolymer in ethyl lactate solution#	<15 000 / liste rouge
1053595/2012	3215190020	#Ink:### # consisting of a polyester polymer and a dispersion of silver (CAS RN 7440-22-4) and silver chloride (CAS RN 7783-90-6) in methyl propyl ketone (CAS RN 107-87-9), # with a total solid content by weight of 55 % or more, but not more than 57 %, and # with a specific density of 1,40 g/cm 3 or more, but not more than 1,60 g/cm 3 , # ###for use in the manufacture of electrodes#	≥15 000 / liste verte
1049/2007	TARIC code before 2022: 3402130020 TARIC code in 2022: 3402420020	#Surfactant containing 1,4-dimethyl-1,4- bis (2-methylpropyl)-2-butyne-1,4-diyl ether, polymerised with oxirane, methyl terminated#	≥15 000 / liste verte
1489313/2017	3506919060	#Temporary wafer-bonding adhesive material in the form of a suspension of a solid polymer in D-limonene (CAS RN 5989-27-5) with a polymeric content by weight of 25 % or more but not more than 35 %#	<15 000 / liste rouge
1489278/2017	3506919070	#Temporary wafer-bonding release in the form of a	<15 000 / liste rouge

		suspension of a solid polymer in cyclopentanone (CAS RN 120-92-3) with a polymeric content of not more than 10 % by weight#	
1563699/2017	TARIC code before 2022: 3603006010 TARIC code in 2022: 3603500010	#Igniters for gas generators with an overall maximum length of 20,34mm or more but not more than 29,4 mm and a pin length of 6,68 mm ( $\pm$ 0,3 mm) or more but not more than 7,54 mm ( $\pm$ 0,3 mm)#	$\geq$ 15 000 / liste verte
4613870/2017	3707100060	#Sensitising emulsion, containing by weight:### # not more than 5 % of photoacid generator, # 2 % or more but not more than 50 % of phenolic resins, and # not more than 7 % of epoxy-containing derivatives, # ###dissolved in heptan-2-one and/or ethyllactate#	<15 000 / liste rouge
4565219/2017	TARIC code before 2022: 3802100020 TARIC code in 2022: 3802100040	#Chemically activated carbon for the absorption and desorption of vapors, in a defined or irregular shape with an effective butane capacity of 5 g butane / 100 ml or more (according to ASTM D 5228)#	$\geq$ 15 000 / liste verte
324635/2012	3808919060	#Spinetoram (ISO) (CAS RN 935545-74-7), preparation of two spinosyn components (3'-ethoxy-5,6-dihydro spinosyn J) and (3'-ethoxy- spinosyn L)#	$\geq$ 15 000 / liste verte
577757/2010	3808939030	#Aqueous solution containing by weight:### # 1,8 % of sodium para-nitrophenolate, # 1,2 % of sodium ortho-nitrophenolate, # 0,6 % of sodium 5-nitroguaiacolate, # ###for use in the manufacture of a plant growth regulator #	<15 000 / liste rouge
4628990/2017	3808939060	#Preparation in the form of tablets containing by weight: ## 0,55 % or more but not more than 2,50 % of 1-methylcyclopropene (1-MCP) (CAS RN 3100-04-7) with a minimum purity of 96 % or more, and less than 0,05 % of each of the two impurities, 1-chloro-2-methylpropene (CAS RN 513-37-1) and 3-chloro-2-methylpropene (CAS RN 563-47-3) #for coating#	<15 000 / liste rouge
335773/2012	3811210030	#Additives for lubricating oils, containing mineral oils, consisting of calcium salts of reaction products of polyisobutylene substituted phenol with salicylic acid and formaldehyde, used as a concentrated additive for the manufacture of engine oils through a blending process#	$\geq$ 15 000 / liste verte
335288/2012	3811210050	#Additives for lubricating oils,### # based on calcium C16-24 alkylbenzenesulphonates (CAS RN 70024-69-0), # containing mineral oils, # ###used as a concentrated additive for the manufacture of engine oils through a blending process#	$\geq$ 15 000 / liste verte
335338/2012	3811210060	#Additives for lubricating oils, containing mineral oils,### # based on calcium polypropylenyl substituted benzenesulphonate (CAS RN 75975-85-8) with a content by weight of 25 % or more but not more than 35 %, # with a total base number (TBN) of 280 or more but not more than 320, # ###used as a concentrated additive for the manufacture of engine oils through a blending process#	$\geq$ 15 000 / liste verte
335788/2012	3811210070	#Additives for lubricating oils,### # containing polyisobutylene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), # containing mineral oils, # with a chlorine content by weight of 0,05 % or more but not more than 0,25 %, # with a total base number (TBN) of	$\geq$ 15 000 / liste verte

		more than 20, # ###used as a concentrated additive for the manufacture of engine oils through a blending process#	
1138422/2015	3811210075	#Additives containing:### # Calcium (C10-C14) dialkylbenzenesulfonates, # more than 40 %, but not more than 60 % by weight of mineral oils, # ###with a total base number of not more than 10, for use in the manufacture of blends of additives for lubricating oils#	≥15 000 / liste verte
1137815/2015	3811210077	#Antifoam additives consisting of:### # a copolymer of 2-ethylhexyl acrylate and ethyl acrylate, and # more than 50 % but not more than 80 % by weight of mineral oils, # ###for use in the manufacture of additive blends for lubricating oils#	≥15 000 / liste verte
1137567/2015	3811210080	#Additives containing :### # polyisobutylene aromatic polyamine succinimide, # more than 40 % but not more than 60 % by weight of mineral oils, # ###with a nitrogen content of more than 0,6 % but not more than 0,9 % by weight, for use in the manufacture of additive blends for lubricating oils#	≥15 000 / liste verte
335473/2012	3811210085	#Additives:### # containing more than 20 % but not more than 45 % by weight of mineral oils, # based on a mixture of branched dodecylphenol sulfide calcium salts, whether or not carbonated, # ###for use in the manufacture of blends of additives#	≥15 000 / liste verte
335395/2012	3811290020	#Additives for lubricating oils, consisting of reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with propylene oxide, phosphorus oxide, and amines with C12-14 alkyl chains, used as a concentrated additive for the manufacture of lubricating oils#	≥15 000 / liste verte
335383/2012	3811290030	#Additives for lubricating oils, consisting of reaction products of butyl-cyclohex-3-enecarboxylate, sulphur and triphenyl phosphite (CAS RN 93925-37-2), used as a concentrated additive for the manufacture of engine oils through a blending process#	≥15 000 / liste verte
335281/2012	3811290040	#Additives for lubricating oils, consisting of reaction products of 2-methyl-prop-1-ene with sulphur monochloride and sodium sulphide (CAS RN 68511-50-2), with a chlorine content by weight of 0,01 % or more but not more than 0,5 %, used as a concentrated additive for the manufacture of lubricating oils#	≥15 000 / liste verte
335430/2012	3811290050	#Additives for lubricating oils, consisting of a mixture of N,N -dialkyl -2-hydroxyacetamides with alkyl chain lengths between 12 and 18 carbon atoms (CAS RN 866259-61-2), used as a concentrated additive for the manufacture of engine oils through a blending process#	≥15 000 / liste verte
1137762/2015	3811290065	#Additives consisting of a sulphurised mixture of vegetable oil, long chain α-olefins and tall oil fatty acids, with a sulphur content of 8 % or more but not more than 12 % by weight, for use in the manufacture of blends of additives for lubricating oils#	<15 000 / liste rouge
314105/2012	3811900040	#Solution of a quaternary ammonium salt based on polyisobutenyl succinimide, containing by weight 10 % or more but not more than 29,9 % of 2-ethylhexanol#	≥15 000 / liste verte
1013685/2011	3812399070	#Light stabiliser containing:### # branched and linear alkyl esters of 3-(2H-benzotriazolyl)-5-(1,1-dimethylethyl)-4-hydroxybenzenepropanoic acid (CAS RN 127519-17-9), and # 1-methoxy-2-propyl acetate (CAS RN 108-65-6) #	Suspension supprimée en l'absence de demande de prolongation
1095046/2012	3812399080	#UV-stabilizer, consisting of:### # a hindered amine: N,N' -	≥15 000 / liste verte

		bis(1,2,2,6,6-pentamethyl-4-piperidiny)-1,6-hexanediamine, polymer with 2,4-dichloro-6-(4-morpholinyl)-1,3,5-triazine (CAS RN 193098-40-7) and # either an o-hydroxyphenyl triazine UV light absorber or # a chemically modified phenolic compound #	
879/05	3815909016	#Initiator based on dimethylaminopropyl urea#	≥15 000 / liste verte
326561/2012	3815909018	#Oxidation catalyst with an active ingredient of di[manganese (1+)], 1,2-bis(octahydro-4,7-dimethyl-1 H -1,4,7-triazonine-1-yl- k N 1 , k N 4 , k N 7 )ethane-di- μ -oxo- μ -(ethanoato- k O, k O')-, di[chloride(1-)] (CAS RN 1217890-37-3), used to accelerate chemical oxidation or bleaching#	Suspension supprimée en l'absence de demande de prolongation
1443007/2017	3815909043	#Catalyst in powder form consisting by weight of### # 92,50 % (± 2) % titanium dioxide (CAS RN 13463-67-7), # 5 % (± 1) % silicon dioxide (CAS RN 112926-00-8), and # 2,5 % (± 1,5) % sulphur trioxide (CAS RN 7446-11-9) #	≥15 000 / liste verte
1680/6/1996	3815909085	#Catalyst based on aluminosilicate (zeolite), for the alkylation of aromatic hydrocarbons, for the transalkylation of alkylaromatic hydrocarbons or for the oligomerization of olefins#	≥15 000 / liste verte
1562945/2017	3824999226	#Preparation containing by weight:### # 60 % or more but not more than 75 % of Solvent naphtha (petroleum), heavy aromatic (CAS RN 64742-94-5) # 15 % or more but not more than 25 % of 4-(4-nitrophenylazo)-2,6-di-sec-butylphenol (CAS RN 111850-24-9), and # 10 % or more but not more than 15 % of 2-sec-butylphenol (CAS RN 89-72-5) #	<15 000 / liste rouge
968687/2011	3824999247	#Preparation, containing:### # trioctylphosphine oxide (CAS RN 78-50-2), # dioctylhexylphosphine oxide (CAS RN 31160-66-4), # octyldihexylphosphine oxide (CAS RN 31160-64-2) and # trihexylphosphine oxide (CAS RN 3084-48-8) # ### ##### #	<15 000 / liste rouge
1051/2007	3824999249	#Preparation based on 2,5,8,11-tetramethyl-6-dodecyn-5,8-diol ethoxylate (CAS RN 169117-72-0)#	≥15 000 / liste verte
1075/2007	3824999250	#Alkyl carbonate-based preparation, also containing a UV absorber, for use in the manufacture of spectacle lenses#	<15 000 / liste rouge
1096835/2012	3824999280	#Diethylene glycol propylene glycol triethanolamine titanate complexes (CAS RN 68784-48-5) dissolved in diethylene glycol (CAS RN 111-46-6)#	<15 000 / liste rouge
4656777/2017	3824999338	#Mixture of 4,4'-(perfluoroisopropylidene)diphenol (CAS RN 1478-61-1) and 4,4'-(perfluoroisopropylidene)diphenol benzyl triphenyl phosphonium salt (CAS RN 75768-65-9)#	<15 000 / liste rouge
1071/2007	3824999363	#Mixture of phytosterols, not in the form of powder, containing by weight:### # 75 % or more of sterols, # not more than 25 % of stanols, # ###for use in the manufacture of stanols/sterols or stanol/sterol esters#	≥15 000 / liste verte
1164/07	3824999388	#Mixture of phytosterols containing by weight:### # 60 % or more, but not more than 80 % of sitosterols, # less than 15 % of campesterols, # less than 5 % of stigmasterols, and # less than 15 % of betasitostanols #	≥15 000 / liste verte
4537658/2017	3824999630	#Rare-earth concentrate containing by weight:### # 20 % or more but not more than 30 % of cerium oxide (CAS RN 1306-38-3), # 2 % or more but not more than 10 % of lanthanum oxide (CAS RN 1312-81-8), # 10 % or more but not more than 15 % of yttrium oxide (CAS RN 1314-36-9), and # not more than 65 % of zirconium oxide (CAS RN 1314-23-4) including natural occurring hafnium oxide #	<15 000 / liste rouge

323483/2012	3824999650	#Nickel hydroxide, doped with 12 % or more but not more than 18 % by weight of zinc hydroxide and cobalt hydroxide, of a kind used to produce positive electrodes for accumulators#	≥15 000 / liste verte
1095014/2012	3824999687	#Platinum oxide (CAS RN 12035-82-4) fixed on a porous support of aluminium oxide (CAS RN 1344-28-1), containing by weight:### # 0,1 % or more but not more than 1 % of platinum, and # 0,5 % or more but not more than 5 % of ethylaluminium dichloride (CAS RN 563-43-9) #	≥15 000 / liste verte
4537555/2017	3903909038, 3904698088	#Polytetrafluoroethylene (CAS RN 9002-84-0) encapsulated with an acrylonitrile-styrene copolymer (CAS RN 9003-54-7), with a content by weight of each polymer of 50 % (± 1 %) #	≥15 000 / liste verte
305325/2012	3904698085	#Copolymer of ethylene with chlorotrifluoroethylene, whether or not modified with hexafluoroisobutylene, in powder form, whether or not with fillers#	≥15 000 / liste verte
1070017/2012	3905300010	#Viscous preparation, essentially consisting of poly(vinyl alcohol) (CAS RN 9002-89-5), an organic solvent and water for use as protective coating of wafers during the manufacturing of semiconductors#	<15 000 / liste rouge
1048299/2012	3905910040	#Water soluble copolymer of ethylene and vinyl alcohol (CAS RN 26221-27-2), containing by weight not more than 38 % of the monomer unit ethylene#	≥15 000 / liste verte
4422335/2017	3906909023	#Copolymer of methylmethacrylate, butylacrylate, glycidylmethacrylate and styrene (CAS RN 37953-21-2), with an epoxy equivalent weight of not more than 500, in form of ground flakes with a particle size of not more than 1 cm#	≥15 000 / liste verte
1091125/2012	3906909027	#Copolymer of stearyl methacrylate, isoctyl acrylate and acrylic acid, dissolved in isopropyl palmitate#	<15 000 / liste rouge
3893290/2015	3907100020	#Polyoxymethylene with acetyl endcaps, containing polydimethylsiloxane and fibers of a copolymer of terephthalic acid and 1,4-phenyldiamine#	<15 000 / liste rouge
1013632/2011	TARIC code before 2022: 3907201160 TARIC code in 2022: 3907291160	#Preparation containing:### # α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-hydroxypoly(oxy-1,2-ethanediyl) (CAS RN 104810-48-2) and # α-[3-[3-(2H-Benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropyl]-ω-[3-[3-(2H-benzotriazol-2-yl)-5-(1,1-dimethylethyl)-4-hydroxyphenyl]-1-oxopropoxy]poly(oxy-1,2-ethanediyl) (CAS RN 104810-47-1) #	Suspension supprimée en l'absence de demande de prolongation
1111901/2012	TARIC code before 2022: 3907202020 TARIC code in 2022: 3907292020	#Polytetramethylene ether glycol with a weight average molecular weight (Mw) of 2 700 or more but not more than 3 100 (CAS RN 25190-06-1)#	Suspension supprimée en l'absence de demande de prolongation
1515223/2017	TARIC code before 2022: 3907202060 TARIC code in 2022: 3907292060	#Polypropylene glycol monobutyl ether (CAS RN 9003-13-8) of an alkalinity of not more than 1 ppm of sodium#	Suspension supprimée en l'absence de demande de prolongation
323377/2012	3907300060	#Polyglycerol polyglycidyl ether resin (CAS RN 118549-88-5)#	<15 000 / liste rouge

4573511/2017	3907300070	#Preparation of epoxy resin (CAS RN 29690-82-2) and phenolic resin (CAS RN 9003-35-4) containing by weight:## 65 % or more but not more than 75 % of silicon dioxide (CAS RN 60676-86-0), and none or not more than 0,5 % of carbon black (CAS RN 1333-86-4)	≥15 000 / liste verte
320049/2012	3907998025	#Copolymer, containing 72 % by weight or more of terephthalic acid and/or isomers thereof and cyclohexanedimethanol#	≥15 000 / liste verte
4573548/2017	3909200010	#Polymer mixture, containing by weight:### # 60 % or more but not more than 75 % of melamine resin (CAS RN 9003-08-1), # 15 % or more but not more than 25 % of silicon dioxide (CAS RN 14808-60-7 or 60676-86-0), # 5 % or more but not more than 15 % of cellulose (CAS RN 9004-34-6), and # 1 % or more but not more than 15 % of phenolic resin (CAS RN 25917-04-8) #	≥15 000 / liste verte
1084/2007	3910000050	#Silicone based pressure sensitive adhesive in solvent containing copoly(dimethylsiloxane/diphenylsiloxane) gum#	≥15 000 / liste verte
1054/2007	3911901930	#Copolymer of ethyleneimine and ethyleneimine dithiocarbamate, in an aqueous solution of sodium hydroxide#	≥15 000 / liste verte
326385/2012	3911909953	#Hydrogenated polymer of 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-dimethanonaphthalene with 3a,4,7,7a-tetrahydro-4,7-methano-1H-indene and 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503442-46-4)#	<15 000 / liste rouge
326364/2012	3911909957	#Hydrogenated polymer of 1,2,3,4,4a,5,8,8a-octahydro-1,4:5,8-dimethanonaphthalene with 4,4a,9,9a-tetrahydro-1,4-methano-1H-fluorene (CAS RN 503298-02-0)#	<15 000 / liste rouge
886/06	3919108040, 3919908043	#Black poly(vinyl chloride) film:### # with a gloss of more than 30 degrees according to ASTM D2457, # whether or not covered on one side with a protective poly(ethyleneterephthalate) film, and on the other side with a pressure sensitive adhesive with channels and a release liner #	<15 000 / liste rouge
254103/2009	3919108043, 3919908026	#Ethylene vinyl acetate film:### # of a thickness of 100 µm or more, # coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester or polypropylene liner #	<15 000 / liste rouge
1087/2007	3919108045, 3919908045	#Reinforced polyethylene foam tape, coated on both sides with an acrylic micro channelled pressure sensitive adhesive and on one side a liner, with an application thickness of 0,38 mm or more but not more than 1,53 mm#	≥15 000 / liste verte
1316/4/2003	3919108055, 3919908053	#Acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90 ° of more than 25 N/cm (as determined by the ASTM D 3330 method)#	≥15 000 / liste verte
4656736/2017	3919908021	#Polytetrafluoroethylene film,### # with a thickness of 50 µm or more but not more than 155 µm, # with a width of 6,30 mm or more but not more than 585 mm, # an elongation at break of not more than 200 %, and # coated on one side with a pressure sensitive silicone adhesive with a thickness of not more than 40 µm #	<15 000 / liste rouge
1159/2008	3919908083	#Reflector or diffuser sheets, in rolls,### # for protection against ultraviolet or infra-red heat radiation, to be affixed to windows or # for equal transmission and distribution of light, intended for LCD modules #	≥15 000 / liste verte



3119/13/04, 804/06	3920108940	#Composite sheet containing an acrylic coating and laminated to a high-density polyethylene layer, of a total thickness of 0,8 mm or more but not more than 1,2 mm#	Suspension supprimée en l'absence de demande de prolongation
4958135/2020	3920108945	#Octene and ethylene copolymer plastic film of a thickness of 0,45 mm or more but not more than 0,75 mm, for use in the manufacture of glass to glass photovoltaic solar panels#	≥15 000 / liste verte
294101/2011	3920202994	#Mono-axial oriented, co-extruded film:### # consisting of 3 to 5 layers, # each layer mainly consisting of polypropylene and/or polyethylene, # each layer containing not more than 10 % by weight of other polymers, # whether or not containing titanium dioxide in the core layer, # of an overall thickness of not more than 75 µm #	≥15 000 / liste verte
4537586/2017	3920621905, 3920629010	#Poly(ethylene terephthalate) film in rolls:### # with a thickness of 0,335 mm or more but not more than 0,365 mm, and # coated with a gold layer with a thickness of 0,03 µm or more but not more than 0,06 µm #	≥15 000 / liste verte
1177/07	3920621960	#Poly(ethylene terephthalate) film:### # of a thickness of not more than 20 µm, # coated on at least one side with a gas barrier layer consisting of a polymeric matrix in which silica or aluminium oxide has been dispersed and of a thickness of not more than 2µm #	≥15 000 / liste verte
1091163/2012	3921131020	#Rolls of open-cell polyurethane foam:### # with a thickness of 2,29 mm (± 0,25 mm), # surface-treated with a foraminous adhesion promoter, and # laminated to a polyester film and a layer of textile material #	<15 000 / liste rouge
1575341/2017	3921190060	#Multi-porous multilayer separator foil with:### # one microporous polyethylene layer between two microporous polypropylene layers and whether or not containing a coating of aluminium oxide on both sides, # a width of 65 mm or more but not more than 170 mm, # a total thickness of 0,01 mm or more but not more than 0,03 mm, # a porosity of 0,25 or more but not more than 0,65 #	≥15 000 / liste verte
1515277/2017	3921190070	#Microporous membranes of expanded Polytetrafluoroethylene (ePTFE) in rolls, having:### # a width of 1 600 mm or more but not more than 1 730 mm, and # a membrane thickness of 15 µm or more, but not more than 50 µm # ###for use in the manufacture of a bi-component ePTFE membrane#	<15 000 / liste rouge
1565442/2017	3926300050, 3926909748	#Coated interior or exterior decorative parts consisting of:### # a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, and # a PVC foil, # not containing layers of copper, nickel or chromium, # ###for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705#	≥15 000 / liste verte
4488695/2017	4016995730	#Pin boot of a brake calliper made of vulcanized rubber with:### # an inner diameter of not less than 5 mm and an outer diameter of not more than 35 mm, # a height of 15 mm or more, but not more than 40 mm, and # a ribbed design # ###for use in the manufacture of goods of Chapter 87#	<15 000 / liste rouge
1102689/2012	4104411910	#Buffalo leather, split, chrome tanned synthetic retanned ("crust"), dry#	<15 000 / liste rouge
4609952/2017	5311009010	#Plain-woven fabric of paper yarns glued on a tissue paper layer:### # with a weight of 190 g/m <sup>2</sup> or more but not more than 280 g/m <sup>2</sup> , and # cut into rectangles with a side length of 40 cm or more but not more than 140 cm #	≥15 000 / liste verte

3887395/2015	5403390010	#Biodegradable (norm EN 14995) monofilament of not more than 33 dtex, containing at least 98 % by weight polylactide (PLA), for use in the manufacture of filtration fabrics for the food industry#	<15 000 / liste rouge
1024/2007	5407100010	#Textile fabric, consisting of warp filament yarns of polyamide-6,6 and weft filament yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, p - phenylenediamine and 3,4'-oxybis (phenyleneamine)#	<15 000 / liste rouge
4613955/2017	5911909950	#Loudspeaker vibration damper, made from round, corrugated, flexible and cut-to-size tissue of textile fibres of polyester, cotton or aramid or a combination hereof, of a kind used in car loudspeakers#	≥15 000 / liste verte
1074119/2012	7009100050	#Unfinished electro-chromic auto-dimming mirror for motor vehicle rear-view mirrors:### # whether or not equipped with plastic backing plate, # whether or not equipped with a heating element, # whether or not equipped with Blind Spot Module (BSM) display #	≥15 000 / liste verte
323336/2012	7019120005, 7019120025	#Rovings ranging from 1 980 to 2 033 tex, composed of continuous glass filaments of 9 µm (± 0,5 µm)#	≥15 000 / liste verte
323461/2012	TARIC code before 2022: 7019191015 TARIC code in 2022: 7019130015	#S-glass yarn of 33 tex or a multiple of 33 tex (± 13 %) made from continuous spun-glass filaments with fibres of a diameter of 9 µm (- 1 µm / + 1,5 µm)#	≥15 000 / liste verte
138412/2010	TARIC code before 2022: 7019191050 TARIC code in 2022: 7019130050	#Yarn of 11 tex or a multiple thereof (± 7,5 %), obtained from continuous spun-glass filaments, containing 93 % by weight or more of silicon dioxide, of a nominal diameter of 6 µm or 9 µm, other than those treated#	≥15 000 / liste verte
1489261/2017	7020001020	#Raw material for optical elements of fused silicon dioxide with:### # a thickness of 10 cm or more but not more than 40 cm and # a weight of 100 kg or more #	≥15 000 / liste verte
1379018/2017	7315119010	#Roller type steel timing chain with a fatigue limit of 2 kN at 7 000 rpm or more for use in the manufacture of engines of motor vehicles#	<15 000 / liste rouge
4629002/2017	7326909240	#Steel nozzle shell with integral flange in one piece open-die forged from 4 castings, worked and machined, with:## a diameter of 5 752 mm or more but not more than 5 758 mm, a height of 3 452 mm or more but not more than 3 454 mm, a total weight 167 875 kg or more but not more than 168 125 kg #of a kind used for the fabrication of a nuclear reactor vessel#	<15 000 / liste rouge
4610317/2017	7409190010, 7410210070	#Plates or sheets:### # with at least one layer of woven glass fibre, impregnated with a fire- retardant artificial or synthetic resin with a glass transition temperature (Tg) of more than 130 °C as measured according to IPC-TM-650, method 2.4.25, # coated on one or both sides with a copper film with a thickness of not more than 3,2 mm, # ###and containing at least one of the following:### # poly(tetrafluoroethylene) (CAS RN 9002-84-0) # poly(oxy-(2,6-dimethyl)-1,4-phenylene) (CAS RN 25134-01-4) # epoxy resin having a thermal expansion of not more than 10 ppm in length and width and not more than 25 ppm in height # ####for use in the manufacture of circuit boards#	<15 000 / liste rouge

4613981/2017	7413000020	#Loudspeaker centring ring, consisting of one or more vibration dampers and minimum two non-insulated copper cables, therein woven or pressed#	≥15 000 / liste verte
582476/2010	7604291010, 7606129921, 7606129925	#Sheets and bars of aluminium-lithium alloys#	≥15 000 / liste verte
1443058/2017	8101960020	#Tungsten wire### # containing by weight 99,95 % or more of tungsten, and # with a maximum cross-sectional dimension of not more than 1,02 mm #	≥15 000 / liste verte
276628/2012	8102100010	#Molybdenum powder with:### # a purity by weight of 99 % or more and # a particle size of 1,0 µm or more, but not more than 5,0 µm #	≥15 000 / liste verte
1516795/2017	8108200070	#Titanium alloy slab, with### # a height of 20,3 cm or more, but not more than 23,3 cm, # a length of 246,1 cm or more, but not more than 289,6 cm, # a width of 40,6 cm or more, but not more than 46,7 cm, # a weight of 820 kg or more but not more than 965 kg, # ###containing alloy elements by weight of:### # 5,2 % or more but not more than 6,2 % of aluminium, # 2,5 % or more but not more than 4,8 % of vanadium #	<15 000 / liste rouge
1518694/2017	8108903015	#Rods and wire of an alloy of titanium with:### # a uniform solid cross-section in the form of a cylinder, # with a diameter of 0,8 mm or more, but not more than 5 mm, # an aluminium content by weight of 0,3 % or more, but not more than 0,7 %, # a silicon content by weight of 0,3 % or more, but not more than 0,6 %, # a niobium content by weight of 0,1 or more, but not more than 0,3 %, and # an iron content by weight of not more than 0,2 % #	≥15 000 / liste verte
1565292/2017	8108905045	#Cold or hot rolled plates, sheets and strips of non-alloyed titanium with:### # a thickness of 0,4 mm or more, but not more than 100 mm, # a length of not more than 14 m, and # a width of not more than 4 m #	≥15 000 / liste verte
1173/2007	8113009010	#Carrier plate of aluminium silicon carbide (AlSiC-9) for electronic circuits#	≥15 000 / liste verte
317291/2012	8207301010	#Set of transfer and/or tandem press tools for cold-forming, pressing, drawing, cutting, punching, bending, calibrating, bordering and throating of metal sheets, for use in the manufacture of frame parts or body parts of motor vehicles#	≥15 000 / liste verte
	8407332010, 8407338010, 8407908010, 8407909010	#Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm <sup>3</sup> and a power of not less than 6 kW or more but not more than 20,0 kW, for the manufacture of:### # lawn mowers of subheadings 8433 11, 8433 19 and 8433 20, # tractors of subheadings 8701 91 90, 8701 92 90 whose main function is that of a lawn mower, # four stroke mowers with motor of a cylinder capacity of not less than 300 cm <sup>3</sup> of subheading 8433 20 10 or # snowploughs and snow blowers of subheading 8430 20 #	≥15 000 / liste verte
329537/2012	TARIC code before 2022: 8408904340, 8408904530, 8408904750 TARIC code in 2022: 8408904340	#4 Cylinder, 4 cycle, liquid cooled, compression-ignition engine having:### # a capacity of not more than 3 850 cm <sup>3</sup> , and # a rated output of 15 kW or more but not more than 85 kW, # ###for use in the manufacture of vehicles of heading 8427#	<15 000 / liste rouge

1379092/2017	8409990060	#Intake manifold for air supply to the engine cylinders, comprising at least:### # a throttle, # a boost pressure sensor # ###for use in the manufacture of compression ignition engines of motor vehicles#	<15 000 / liste rouge
1378876/2017	8409990080	#High pressure oil jet nozzle for engine piston cooling and lubrication with:### # an opening pressure of 1 bar or more, but not more than 3 bar, # a closing pressure of more than 0,7 bar, # a one-way valve # ###for use in the manufacture of compression ignition engines of motor vehicles#	<15 000 / liste rouge
311397/2012	8411990020	#Wheel-shaped gas turbine component with blades, of a kind used in turbochargers:### # of a precision-cast nickel based alloy complying with standard DIN G- NiCr13Al6MoNb or DIN G- NiCr13Al16MoNb or DIN G- NiCo10W10Cr9AlTi or DIN G- NiCr12Al6MoNb or AMS AISI:686, # with a heat-resistance of not more than 1 100 °C, # with a diameter of 28 mm or more, but not more than 180 mm, # with a height of 20 mm or more, but not more than 150 mm #	≥15 000 / liste verte
4952758/2020	8412908020	#Bedplate made of solution strengthened ductile iron castings (SSDI), for anchoring and aligning the drive train (gearbox, pedestal bearing, rotor shaft) of a wind turbine with:### # a length of 3,5 m or more but not more than 4,5 m, # a width of 2 m or more but not more than 4,2 m, # a height of 1 m or more, but not more than 1,3 m, # a weight of 11 tons or more but not more than 21,5 tons, # mounting bores for yawdrive, # mounting flange for gearbox support, # drivetrain mount, # different screw sockets #	≥15 000 / liste verte
1564107/2017	8414802220	#Air membrane compressor with:### # a flow of 4,5 l/min or more, but not more than 7 l/min, # power input of not more than 8,1 W, and # a gauge pressure capacity not exceeding 400 hPa (0,4 bar), # ###of a kind used in the production of motor vehicle seats#	≥15 000 / liste verte
3869484/2015	TARIC code before 2022: 8415900055 TARIC code in 2022: 8415900065	#Aluminium arc-welded removable receiver dryer, with polyamide and ceramic elements with:### # a length of 143 mm or more but not more than 292 mm, # a diameter of 31 mm or more but not more than 99 mm, # with a weight of not less than 0,12 kg and not more than 0,9 kg, # a spangle length of not more than 0,2 mm and a thickness of not more than 0,06 mm, and # a solid particle diameter of not more than 0,06 mm, # ###for use in the manufacture of car air-conditioning systems#	<15 000 / liste rouge
1096800/2012	8431200030	#Drive axle assembly containing differential, reduction gears, crown wheel, drive shafts, wheel hubs, brakes and mast mounting arms for use in the manufacture of vehicles in heading 8427#	<15 000 / liste rouge
4629133/2017	8481109920	#Electromagnetic pressure reducing valve## with a plunger, with at least 275 mPa internal tightness, with a plastic connector with 2 silver or tin pins	<15 000 / liste rouge
4562503/2017	8481109940	#Pressure reducing valves in a brass case with:### # a length of not more than 30 mm (± 1 mm), # a width of not more than 18 mm (± 1 mm), # ###of a kind used for incorporation in fuel delivery modules of motor vehicles#	≥15 000 / liste verte
4629095/2017	8481805930	#Two-way flow control valve with housing, with:### # at least 5, but not more than 16 outlet holes with at least 0,05 mm, but not more than 0,5 mm diameter, # at least 330 cm <sup>3</sup> /minute, but not more than 5 000 cm <sup>3</sup> /minute flow rate, # at least 19, but not more than 300 MPa operating pressure #	<15 000 / liste rouge
4629031/2017	8481805940	#Flow-control valve:### # made of steel, # with an outlet	≥15 000 / liste verte

		hole with a diameter of 0,05 mm or more, but not more than 0,5 mm, # with an inlet hole with a diameter of 0,1 mm or more, but not more than 1,3 mm, # with chromium nitride coating, # with a surface roughness of Rp 0,4 #	
4629114/2017	8481805950	#Electromagnetic valve for quantity control with:### # a plunger, # a solenoid with a of coil resistance of at least 1,85 Ohm, but not more than 8,2 Ohm #	≥15 000 / liste verte
4629063/2017	8481805960	#Electromagnetic valve for quantity control## with a solenoid with a coil resistance of at least 0,19 Ohm, but not more than 0,66 Ohm, and with an inductance of not more than 1 mH	≥15 000 / liste verte
314220/2012	8481806960	#Four-way reversing valve for refrigerants, consisting of:### # a solenoid pilot valve # a brass valve body including valve slider and copper connections # ###with a working pressure up to 4,5 MPa#	≥15 000 / liste verte
311427/2012	8483303230, 8483303860	#Bearing housing of a kind used in turbochargers:## of precision-cast grey cast iron complying with standard DIN EN 1561 or precision-cast ductile cast iron complying with DIN EN 1560, with oil chambers, without bearings, with a diameter of 50 mm or more, but not more than 250 mm, with a height of 40 mm or more, but not more than 150 mm, whether or not with water chambers and connectors	≥15 000 / liste verte
1443106/2017	8483409020	#Hydrostatic transmission with:### # measurements (without shafts) of not more than 154 mm x 115 mm x 108 mm, # a weight of not more than 3,3 kg, # a maximum rotation speed of the input shaft of 2700 rpm or more, but not more than 3200 rpm, # a torque of the output shaft of not more than 10,4 Nm, # a rotation speed of the output shaft of not more than 930 rpm at 2800 rpm input speed, and # an operating temperature range of -5 °C or more, but not more than +40 °C # ###for use in the manufacture of hand-operated lawn mowers of subheading 8433 11 90#	<15 000 / liste rouge
1443085/2017	8483409030	#Hydrostatic transmission with### # a reduction of 20,63:1 or more, but not more than 22,68:1, # an input speed of 1800 rpm or more when loaded and of not more than 3 000 rpm when unloaded, # a continuous output torque of 142 Nm or more, but not more than 156 Nm, # an intermittent output torque of 264 Nm or more, but not more than 291 Nm, and # an axle shaft diameter of 19,02 mm or more, but not more than 19,06 mm, # whether or not equipped with a fan impeller or with a pulley with integrated fan impeller # ###for use in the production of self-propelled lawn mowers with a seat of subheading 8433 11 51, and tractors of subheading 8701 91 90, whose main function is that of a lawn mower#	<15 000 / liste rouge
3869594/2015	8501101020	#Synchronous motor for a dishwasher with a water flow control mechanism with### # a length without axle of 24 mm (± 0,3), # a diameter of 49,3 mm (± 0,3), # a rated voltage of 220 V AC or more but not more than 240 V AC, # a rated frequency of 50 Hz or more but not more than 60 Hz, # an input power of not more than 4 W, # a rotation speed of 4rpm or more but not more than 4,8rpm, # an output torque of not less than 10kgf/cm #	≥15 000 / liste verte
1102749/2012	8501109960	#DC motor:### # with a rotor speed of 3 500 rpm or more but not more than 5 000 rpm loaded and not more than 6 500 rpm when not loaded # with a power supply voltage of 100 V or more but not more than 240 V # ###for use in the manufacture of electric fryers#	≥15 000 / liste verte

1443120/2017	8501200030	#Universal AC/DC motor with#### # a rated output of 1,2 kW, # a supply voltage of 230 V, and # engine brake, # assembled to a reduction gear with output shaft, which is contained in a plastic housing # ####for use as electric drive of lawnmower blades#	<15 000 / liste rouge
313124/2012	8501310050	#DC motors, brushless, with:#### # an external diameter of 80 mm or more, but not more than 200 mm, # a supply voltage of 9 V or more, but not more than 16 V, # an output at 20 °C of 300 W or more, but not more than 750 W, # a torque at 20 °C of 2,00 Nm or more, but not more than 7,00 Nm, # a rated speed at 20 °C of 600 rpm or more, but not more than 3 100 rpm, # with or without a pulley, # with or without an electronic power steering sensor/controller #	≥15 000 / liste verte
284255/2012	8501620030	#Fuel cell system#### # consisting of at least phosphoric acid fuel cells, # in a housing with integrated water management and gas treatment, # for permanent, stationary energy supply #	<15 000 / liste rouge
1069911/2012	8503009940	#Fuel cell membrane, in rolls or sheets, with a width of not more than 150 cm, for use in the manufacture of fuel cells in Heading 8501#	<15 000 / liste rouge
284392/2012	8504318040	#Electrical transformers:#### # with a capacity of 1 kVA or less # without plugs or cables, # ####for internal use in the manufacture of set top boxes and TVs#	<15 000 / liste rouge
312921/2012	8505110050	#Bars specifically shaped, intended to become permanent magnets after magnetisation, containing neodymium, iron and boron, with dimensions:#### # a length of 15 mm or more but not more than 52 mm, # a width of 5 mm or more but not more than 42 mm, # ####of a kind to be used in the manufacture of electric servomotors for industrial automation#	≥15 000 / liste verte
312685/2012	8505110063	#Rings, tubes, bushings or collars made from an alloy of neodymium, iron and boron, with## an external diameter of not more than 45 mm, a height of not more than 45 mm, #of a kind used in the manufacture of permanent magnets after magnetisation#	≥15 000 / liste verte
3869544/2015	TARIC code before 2022: 8505110055, 8505199040 TARIC code in 2022: 8505110073, 8505199035	#Articles in shape of flat bars, arched bars or quarter sleeves, made of ferrite, or cobalt, or samarium or other rare-earth metals, or their alloy, whether or not overmolded with polymers, intended to become permanent magnets after magnetisation with:#### # a length of 5 mm or more, but not more than 60 mm, # a width of 5 mm or more, but not more than 40 mm, # a thickness of 3 mm or more, but not more than 15 mm #	<15 000 / liste rouge
1514450/2017	8505199050	#Article of agglomerated ferrite in the shape of a rectangular prism to become a permanent magnet after magnetisation#### # whether or not with bevelled edges # of a length of 27 mm or more but not more than 32 mm (± 0,15 mm), # of a width of 8,5 mm or more but not more than 9,5 mm (+0,05 mm / - 0,09 mm), # of a thickness of 5,5 mm or more but not more than 5,8 mm (+0/-0,2 mm), and # of a weight of 6,1 g or more but not more than 8,3 g #	≥15 000 / liste verte
4632204/2017	8506503010	#Lithium manganese dioxide cell, with:## a diameter of 20 mm or more but not more than 25 mm a length of 3 mm or more but not more than 6 mm a voltage of 3 V or more but not more than 3,4 V a capacity of 200 mAh or more but not more than 600 mAh an automotive test temperature range from -40°C to +125°C #for use as a component within the	<15 000 / liste rouge

		manufacture of Tyre Pressure Measuring Systems (TPMS)#	
1572/14/1995	8507600030	#Cylindrical lithium-ion accumulator or module, with a length of 63 mm or more and a diameter of 17,2 mm or more, having a nominal capacity of 1 200 mAh or more, for use in the manufacture of rechargeable batteries#	≥15 000 / liste verte
3883431/2015	8512309020	#Warning buzzer for parking sensor system in a plastic casing operating on the piezo-mechanic principle, containing:### # a printed circuit board, # a connector, # whether or not a metal holder, # ###for use in the manufacture of goods of chapter 87#	<15 000 / liste rouge
4490710/2017	8512309030	#Sound alarm device for protection against burglary into the vehicle:## with an operating temperature of – 45 °C or more, but not more than + 95 °C, with a voltage of 9 V or more but not more than 16 V, in a plastic housing, whether or not with a metal holder #for use in the manufacture of motor vehicles#	<15 000 / liste rouge
1102737/2012	8516900070	# Inner pot:### # containing side and central openings, # of annealed aluminium, # with a ceramic coating, heat resistant to more than 200° C # ###for use in the manufacture of an electric fryer#	≥15 000 / liste verte
1144223/2015	8529906528	#Electronic assembly comprising at least:### # a printed circuit board with, # one or more FPGAs (Field Programmable Gate Array) and/or processors for multi-media applications and video signal processing, # operating memory, # with or without flash memory, # with or without one or more USB, HDMI, VGA-, RJ-45 and/or other multimedia interfaces, # with or without sockets and plugs for connecting a LCD-display, a LED lighting and a control panel #	≥15 000 / liste verte
1102/2007	8529906575	#Modules comprising at least semiconductor chips for:### # the generation of driving signals for pixel addressing, or # driving addressing pixels #	≥15 000 / liste verte
1073905/2012	8529909270	#Rectangular fastening and covering frame:### # of an aluminium alloy containing silicon and magnesium, # with a length of 500 mm or more but not more than 2 200 mm, # with a width of 300 mm or more but not more than 1 500 mm, # ###of a kind used for the production of TV sets#	≥15 000 / liste verte
1075108/2012	8536699051	#SCART type connectors, built into a plastic or metal housing, with 21 pins in 2 rows, for use in the manufacture of products falling within headings 8521 and 8528#	<15 000 / liste rouge
3863438/2015	8536699060	#Electrical sockets and plugs with a length of not more than 12,7 mm or a diameter of not more than 10,8 mm, for use in the production of hearing aids and speech processors#	<15 000 / liste rouge
4490679/2017	8537109165	#Electronic control unit for optimal engine performance:## with a programmable memory, with a voltage of 8 V or more but not more than 16 V, with at least one composite connector, in a metal housing, whether or not with metal holders #for use in the manufacture of motor vehicles#	<15 000 / liste rouge
1445382/2017	8537109170	#Programmable motor memory controller for a voltage not exceeding 1 000 V, comprising at least:### # a printed circuit with active and passive components, # an aluminium housing, and # multiple connectors #	≥15 000 / liste verte
4610399/2017	8540910020	#Thermionic electron source (emitter point) of lanthanum hexaboride (CAS RN 12008-21-8) or cerium hexaboride (CAS RN 12008-02-5), in a metal housing with electric connectors having## a graphite carbon shield mounted in a	≥15 000 / liste verte

		mini-Vogel type system separate pyrolytic carbon blocks used as heating elements and a cathode temperature of less than 1800 K at a filament current of 1,26 A	
1445582/2017	8708402030	#Automatic gearbox with a hydraulic torque converter with:### # at least eight gears, # an engine torque of 300 Nm or more, and # transverse or longitudinal installation # ###for use in the manufacture of motor vehicles of heading 8703#	<15 000 / liste rouge
4631667/2017	8708402050, 8708405040	#Transmission assembly which houses 3 other shafts inside it and offers a rotating switch for shift position consisting:## cast aluminium body, differential gear, 2 electrical motors and gears, #with the dimensions of:## a width of 280 mm or more but not more than 470 mm, a height of 350 mm or more but not more than 595 mm, a length of 410 mm or more but not more than 690 mm, #for use in the manufacture of motor vehicles of Chapter 87#	<15 000 / liste rouge
4488773/2017	8708502050, 8708505520, 8708509110, 8708509940	#Double flange bearing of 3rd generation, for motor vehicles,## with double-row ball bearing, whether or not with impulse (encoder) ring, whether or not with antilock brake system (ABS) sensor, whether or not with mounted screws, #for use in the manufacture of goods of chapter 87#	≥15 000 / liste verte
4548037/2017	8708809930	#Surface-hardened, steel piston rod for a hydraulic or hydropneumatic shock absorber of motor vehicles:### # with a chrome coating, # of a diameter of 11 mm or more, but not more than 28 mm, # of a length of 80 mm or more, but not more than 600 mm, # ###with a threaded end or a mandrel for resistance welding#	≥15 000 / liste verte
1323371/2017	8708919940, 8708999755	#Assembly for supplying compressed air, whether or not with a resonator, comprising at least:### # one solid aluminium tube whether or not with mounting bracket, # one flexible rubber hose, and # one metal clip # ###for use in the manufacture of goods of Chapter 87#	<15 000 / liste rouge
1565442/2017	8708999785	#Electroplated interior or exterior parts consisting of:### # a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, # layers of copper, nickel and chromium # ###for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705#	<15 000 / liste rouge
3863546/2015	8714109070	#Motor bikes radiators in consignment of 100 pieces or more#	≥15 000 / liste verte
4537684/2017	8714991020, 8714991089	#Bicycle handlebars:### # with or without an integrated stem, # either made out of carbon fibres and synthetic resin or made of aluminium, # ###for use in the manufacture of bicycles (including electric bicycles)#	≥15 000 / liste verte
1013674/2011	9001109030	#Polymer optical fibre with:### # a poly(methyl methacrylate) core, # a cladding of fluorinated polymer, # a diameter of not more than 3,0 mm, and # a length of more than 150 m, # ###of a kind used in the manufacture of polymer fibre cables#	Suspension supprimée en l'absence de demande de prolongation
825118/2014	9001504140, 9001504940	#Organic uncut corrective eyeglass lens, finished on both sides, to undergo a coating, colouring, edging, mounting or any other substantial process for use in the manufacture of corrective glasses#	≥15 000 / liste verte
276652/2012	9002110020	#Lenses:### # measuring not more than 95 mm × 55 mm × 50 mm, # with a resolution of 160 lines/mm or better, and # with a zoom ratio of 3 or more times #	≥15 000 / liste verte
1090923/2012	9002900040	#Mounted lenses made from infrared transmitting	<15 000 / liste rouge



		chalcogenide glass, or a combination of infrared transmitting chalcogenide glass and another lens material#	
1038/2007	9032890040	#Digital valve controller for controlling liquids and gases#	≥15 000 / liste verte
3961246/2015	9607201010	#Sliders, narrow tape with mounted zipper teeth, pin/boxes and other parts of slide fasteners, of base metal for use in the manufacture of zippers#	<15 000 / liste rouge