

Annexe 5: liste des produits CECA couverts par l'accord UE-Turquie sur le régime de commerce pour les produits du charbon et de l'acier (Décision 1/2009 du comité de coopération douanière UE-Turquie adaptant la liste de 1996)

HS Code 2012 TARIC Code 2015	Description of goods
<b>2601</b>	Iron ores and concentrates, including roasted iron pyrites
	- Iron ores and concentrates, other than roasted iron pyrites
2601 11 00 00	- - Non-agglomerated
2601 12 00 00	- - Agglomerated
<b>2602 00 00 00</b>	Manganese ores and concentrates, including ferruginous manganese ores and concentrates with a manganese content of 20 % or more, calculated on the dry weight
<b>2619 00</b>	Slag, dross (other than granulated slag), scalings and other waste from the manufacture of iron or steel
2619 00 20 00	- Waste suitable for the recovery of iron or manganese
<b>2701</b>	Coal; briquettes, ovoids and similar solid fuels manufactured from coal
	- Coal, whether or not pulverised, but not agglomerated
2701 11 00 00	- - Anthracite
2701 12	- - Bituminous coal
2701 12 10 00	- - - Coking coal
2701 12 90 00	- - - Other
2701 19 00 00	- - Other coal
2701 20 00 00	- Briquettes, ovoids and similar solid fuels manufactured from coal
<b>2702</b>	Lignite, whether or not agglomerated, excluding jet
2702 10 00 00	- Lignite, whether or not pulverised, but not agglomerated
2702 20 00 00	- Agglomerated lignite
<b>2704 00</b>	Coke and semi-coke of coal, of lignite or of peat, whether or not agglomerated; retort carbon
2704 00 10 00	- Coke and semi-coke of coal

not

2704 00 30 00	- Coke and semi-coke of lignite
<b>7201</b>	Pig iron and spiegeleisen in pigs, blocks or other primary forms
7201 10	- Non-alloy pig iron containing by weight 0,5 % or less of phosphorus
	- - Containing by weight not less than 0,4 % of manganese
7201 10 11	- - - Containing by weight 1 % or less of silicon
7201 10 11 10	- - - - Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm
7201 10 11 90	- - - - Other
7201 10 19 00	- - - Containing by weight more than 1 % of silicon
7201 10 30	- - Containing by weight not less than 0,1 % but less than 0,4 % of manganese
7201 10 30 10	- - - Pig iron ingots with a length of not more than 350 mm, a width of not more than 150 mm, a height of not more than 150 mm, containing by weight not more than 1 % of silicon
7201 10 30 90	- - - Other
7201 10 90 00	- - Containing by weight less than 0,1 % of manganese
7201 20 00 00	- Non-alloy pig iron containing by weight more than 0,5 % of phosphorus
7201 50	- Alloy pig iron; spiegeleisen
7201 50 10 00	- - Alloy pig iron containing by weight not less than 0,3 % but not more than 1 % of titanium and not less than 0,5 % but not more than 1 % of vanadium
7201 50 90 00	- - Other
<b>7202</b>	Ferro-alloys
	- Ferro-manganese
	- - Containing by weight more than 2 % of carbon
7202 11 20 00	- - - With a granulometry not exceeding 5 mm and a manganese content by weight exceeding 65 %
7202 11 80 00	- - - Other
	- Other than ferro-manganese, ferro-silicon, ferro-silico-manganese, ferro-chromium, ferro-silico-chromium, ferro-nickel, ferro-molybdenum, ferro-tungsten and ferro-silico-tungsten

7202 99	- - Other than ferro-titanium, ferro-silico-titanium, ferro-vanadium and ferro-niobium
7202 99 10 00	- - - Ferro-phosphorus
<b>7203</b>	Ferrous products obtained by direct reduction of iron ore and other spongy ferrous products, in lumps, pellets or similar forms; iron having a minimum purity by weight of 99,94 %, in lumps, pellets or similar forms
7203 10 00	- Ferrous products obtained by direct reduction of iron ore
7203 90 00	- Other
<b>7204</b>	Ferrous waste and scrap; remelting scrap ingots of iron or steel
7204 10 00	- Waste and scrap of cast iron
	- Waste and scrap of alloy steel
7204 21	- - Of stainless steel
7204 21 10	- - - Containing by weight 8 % or more of nickel
7204 21 10 10	- - - - Scrap
7204 21 10 90	- - - - Other
7204 21 90	- - - Other
7204 21 90 10	- - - - Scrap
7204 21 90 90	- - - - Other
7204 29	- - Other
7204 29 00 10	- - - - Scrap
7204 29 00 90	- - - - Other
7204 30	- Waste and scrap of tinned iron or steel
7204 30 00 10	- - - - Scrap
7204 30 00 90	- - - - Other
	- Other waste and scrap
7204 41	- - Turnings, shavings, chips, milling waste, sawdust, filings, trimmings and stampings, whether or not in bundles
7204 41 10	- - - Turnings, shavings, chips, milling waste, sawdust and filings
7204 41 10 10	- - - - Scrap

7204 41 10 90	- - - - Other
	- - - Trimmings and stampings
7204 41 91	- - - - In bundles
7204 41 91 10	- - - - - Scrap
7204 41 91 90	- - - - - Other
7204 41 99	- - - - Other
7204 41 99 10	- - - - - Scrap
7204 41 99 90	- - - - - Other
7204 49	- - Other
7204 49 10	- - - Fragmentised (shredded)
7204 49 10 10	- - - - Scrap
7204 49 10 90	- - - - Other
	- - - Other
7204 49 30	- - - - In bundles
7204 49 30 10	- - - - - Scrap
7204 49 30 90	- - - - - Other
7204 49 90	- - - - Other
7204 49 90 10	- - - - - Scrap
7204 49 90 90	- - - - - Other
7204 50 00 00	- Remelting scrap ingots
<b>7206</b>	Iron and non-alloy steel in ingots or other primary forms (excluding iron of heading 7203)
7206 10 00 00	- Ingots
7206 90 00 00	- Other
<b>7207</b>	Semi-finished products of iron or non-alloy steel
	- Containing by weight less than 0,25 % of carbon
7207 11	- - Of rectangular (including square) cross-section, the width measuring less than twice the thickness

	- - - Rolled or obtained by continuous casting
7207 11 11 00	- - - - Of free-cutting steel
	- - - - Other
7207 11 14 00	- - - - - Of a thickness not exceeding 130 mm
7207 11 16 00	- - - - - Of a thickness exceeding 130 mm
7207 12	- - Other, of rectangular (other than square) cross-section
7207 12 10 00	- - - Rolled or obtained by continuous casting
7207 19	- - Other
	- - - Of circular or polygonal cross-section
7207 19 12 00	- - - - Rolled or obtained by continuous casting
7207 19 80	- - - Other
7207 19 80 10	- - - - Blanks for angles, shapes and sections, rolled or obtained by continuous casting
7207 20	- Containing by weight 0,25 % or more of carbon
	- - Of rectangular (including square) cross-section, the width measuring less than twice the thickness
	- - - Rolled or obtained by continuous casting
7207 20 11 00	- - - - Of free-cutting steel
	- - - - Other, containing by weight
7207 20 15 00	- - - - - 0,25 % or more but less than 0,6 % of carbon
7207 20 17 00	- - - - - 0,6 % or more of carbon
	- - Other, of rectangular (other than square) cross-section
7207 20 32 00	- - - Rolled or obtained by continuous casting
	- - Of circular or polygonal cross-section
7207 20 52 00	- - - Rolled or obtained by continuous casting
7207 20 80	- - Other
7207 20 80 10	- - - Blanks for angles, shapes and sections, rolled or obtained by continuous casting
<b>7208</b>	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or

	more, hot-rolled, not clad, plated or coated
7208 10 00 00	- In coils, not further worked than hot-rolled, with patterns in relief
	- Other, in coils, not further worked than hot-rolled, pickled
7208 25 00 00	- - Of a thickness of 4,75 mm or more
7208 26 00 00	- - Of a thickness of 3 mm or more but less than 4,75 mm
7208 27 00 00	- - Of a thickness of less than 3 mm
	- Other, in coils, not further worked than hot-rolled
7208 36 00 00	- - Of a thickness exceeding 10 mm
7208 37	- - Of a thickness of 4,75 mm or more but not exceeding 10 m
7208 37 00 10	- - - Intended for re-rolling
7208 37 00 90	- - - Other
7208 38	- - Of a thickness of 3 mm or more but less than 4,75 mm
7208 38 00 10	- - - Intended for re-rolling
7208 38 00 90	- - - Other
7208 39	- - Of a thickness of less than 3 mm
7208 39 00 10	- - - Intended for re-rolling
7208 39 00 90	- - - Other
7208 40	- Not in coils, not further worked than hot-rolled, with patterns in relief
7208 40 00 10	- - Of a thickness of 2 mm or more
7208 40 00 90	- - Of a thickness of less than 2 mm
	- Other, not in coils, not further worked than hot-rolled
7208 51	- - Of a thickness exceeding 10 mm
7208 51 20 00	- - - Of a thickness exceeding 15 mm
	- - - of a thickness exceeding 10 mm but not exceeding 15 mm, of a width of
7208 51 91 00	- - - - 2 050 mm or more
7208 51 98 00	- - - - Less than 2 050 mm
7208 52	- - Of a thickness of 4,75 mm or more but not exceeding 10 mm

7208 52 10 00	- - - Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm
	- - - Other, of a width of
7208 52 91 00	- - - - 2 050 mm or more
7208 52 99 00	- - - - Less than 2 050 mm
	- - Of a thickness of 3 mm or more but less than 4,75 mm
7208 53 10 00	- - - Rolled on four faces or in a closed box pass, of a width not exceeding 1 250 mm and of a thickness of 4 mm or more
7208 53 90 00	- - - Other
7208 54 00 00	- - Of a thickness of less than 3 mm
7208 90	- Other
7208 90 80	- - Other than perforated
7208 90 80 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
<b>7209</b>	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, cold-rolled (cold-reduced), not clad, plated or coated
	- In coils, not further worked than cold-rolled (cold-reduced)
7209 15 00 00	- - Of a thickness of 3 mm or more
7209 16	- - Of a thickness exceeding 1 mm but less than 3 mm
7209 16 10 00	- - - 'Electrical'
7209 16 90 00	- - - Other
7209 17	- - Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 17 10 00	- - - 'Electrical'
7209 17 90 00	- - - Other
7209 18	- - Of a thickness of less than 0,5 mm
7209 18 10 00	- - - 'Electrical'
	- - - Other
7209 18 91 00	- - - - Of a thickness of 0,35 mm or more but less than 0,5 mm
7209 18 99 00	- - - - Of a thickness of less than 0,35 mm

	- Not in coils, not further worked than cold-rolled (cold-reduced)
7209 25 00 00	- - Of a thickness of 3 mm or more
7209 26	- - Of a thickness exceeding 1 mm but less than 3 mm
7209 26 10 00	- - - 'Electrical'
7209 26 90 00	- - - Other
7209 27	- - Of a thickness of 0,5 mm or more but not exceeding 1 mm
7209 27 10 00	- - - 'Electrical'
7209 27 90 00	- - - Other
7209 28	- - Of a thickness of less than 0,5 mm
7209 28 10 00	- - - 'Electrical'
7209 28 90 00	- - - Other
7209 90	- Other
7209 90 80	- - Other than perforated
7209 90 80 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
<b>7210</b>	Flat-rolled products of iron or non-alloy steel, of a width of 600 mm or more, clad, plated or coated
	- Plated or coated with tin
7210 11	- - Of a thickness of 0,5 mm or more
7210 11 00 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 12	- - Of a thickness of less than 0,5 mm
7210 12 20	- - - Tinplate
7210 12 20 10	- - - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 12 80	- - - Other
7210 12 80 10	- - - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 20	- Plated or coated with lead, including terne-plate
7210 20 00 10	- - Not further worked than surface-treated or simply cut into shapes



	other than rectangular (including square)
7210 30	- Electrolytically plated or coated with zinc
7210 30 00 10	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	- Otherwise plated or coated with zinc
7210 41	- - Corrugated
7210 41 00 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 49	- - Other
7210 49 00 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 50	- Plated or coated with chromium oxides or with chromium and chromium oxides
7210 50 00 10	- - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
	- Plated or coated with aluminium
7210 61	- - Plated or coated with aluminium-zinc alloys
7210 61 00 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 69	- - Other
7210 69 00 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 70	- Painted, varnished or coated with plastics
7210 70 10	- - Tinsplate, varnished; products, plated or coated with chromium oxides or with chromium and chromium oxides, varnished
7210 70 10 10	- - - Not further worked than surface-treated or simply cut into shapes other than rectangular (including square)
7210 70 80	- - Other
7210 70 80 11	- - - - Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70 % or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin

7210 70 80 19	- - - - Other
7210 90	- Other
7210 90 30	-- Clad
7210 90 30 10	- - - Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)
7210 90 40	-- Tinned and printed
7210 90 40 10	- - - Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)
7210 90 80	-- Other
	- - - Other [than silvered, gilded, platinum-plated or enameled]
7210 90 80 91	- - - - Not further worked than surface-treated, including cladding, or simply cut into shapes other than rectangular (including square)
<b>7211</b>	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, not clad, plated or coated
	- Not further worked than hot-rolled
7211 13 00 00	- - Rolled on four faces or in a closed box pass, of a width exceeding 150 mm and a thickness of not less than 4 mm, not in coils and without patterns in relief
7211 14	- - Other, of a thickness of 4,75 mm or more
7211 14 00 10	- - - Of a width exceeding 500 mm
7211 14 00 90	- - - Of a width not exceeding 500 mm
7211 19	-- Other
7211 19 00 10	- - - Of a width exceeding 500 mm
7211 19 00 90	- - - Of a width not exceeding 500 mm
	- Not further worked than cold-rolled (cold-reduced)
7211 23	-- Containing by weight less than 0,25 % of carbon
7211 23 20	- - - 'Electrical'
7211 23 20 10	- - - - Of a width exceeding 500 mm
	- - - Other
7211 23 30	- - - - Of a thickness of 0,35 mm or more

7211 23 30 10	- - - - - Of a width exceeding 500 mm
	- - - - - Of a width not exceeding 500 mm
7211 23 30 91	- - - - - In coils intended for the manufacture of tinfoil
7211 23 80	- - - - Of a thickness of less than 0,35 mm
7211 23 80 10	- - - - - Of a width exceeding 500 mm
	- - - - - Of a width not exceeding 500 mm
7211 23 80 91	- - - - - In coils intended for the manufacture of tinfoil
7211 29	- - Other
7211 29 00 10	- - - Of a width exceeding 500 mm
7211 90	- Other
7211 90 80	- - Other [than perforated]
	- - - Of a width exceeding 500 mm
7211 90 80 10	- - - - Not further worked than surface-treated
<b>7212</b>	Flat-rolled products of iron or non-alloy steel, of a width of less than 600 mm, clad, plated or coated
7212 10	- Plated or coated with tin
7212 10 10 00	- - Tinplate, not further worked than surface-treated
7212 10 90	- - Other
	- - - Of a width exceeding 500 mm
7212 10 90 11	- - - - Not further worked than surface-treated
7212 20	- Electrolytically plated or coated with zinc
	- - Of a width exceeding 500 mm
7212 20 00 11	- - - Not further worked than surface-treated
7212 30	- Otherwise plated or coated with zinc
	- - Of a width exceeding 500 mm
7212 30 00 11	- - - Not further worked than surface-treated
7212 40	- Painted, varnished or coated with plastics
7212 40 20	- - Tinplate, not further worked than varnished; products, plated or coated with chromium oxides or with chromium and chromium oxides,

	varnished
7212 40 20 10	- - - Tinplate, not further worked than varnished
	- - - Other
	- - - - Of a width exceeding 500 mm
7212 40 20 91	- - - - - Not further worked than surface-treated
7212 40 80	-- Other
	- - - Of a width exceeding 500 mm
	- - - - Not further worked than surface-treated
7212 40 80 01	- - - - - Of non-alloy steel, painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70 % or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
7212 40 80 09	- - - - - Other
7212 50	- Otherwise plated or coated
7212 50 20	- - Plated or coated with chromium oxides or with chromium and chromium oxides
	- - - Of a width exceeding 500 mm
7212 50 20 11	- - - - Not further worked than surface-treated
7212 50 30	- - Plated or coated with chromium or nickel
	- - - Of a width exceeding 500 mm
7212 50 30 11	- - - - Not further worked than surface-treated
7212 50 40	-- Plated or coated with copper
	- - - Of a width exceeding 500 mm
7212 50 40 11	- - - - Not further worked than surface-treated
	- - Plated or coated with aluminium
7212 50 61	- - - Plated or coated with aluminium-zinc alloys
	- - - - Of a width exceeding 500 mm
7212 50 61 11	- - - - - Not further worked than surface-treated
7212 50 69	- - - Other

	- - - - Of a width exceeding 500 mm
7212 50 69 11	- - - - - Not further worked than surface-treated
7212 50 90	- - Other
	- - - Of a width exceeding 500 mm
	- - - - Other [than silvered, gilded, platinum-plated or enamelled]
7212 50 90 13	- - - - - Not further worked than surface-treated
7212 60	- Clad
	- - Of a width exceeding 500 mm
7212 60 00 11	- - - Not further worked than surface-treated
	- - Of a width not exceeding 500 mm
	- - - Not further worked than surface-treated
7212 60 00 91	- - - - Hot-rolled, not further worked than clad
<b>7213</b>	Bars and rods, hot-rolled, in irregularly wound coils, of iron or non-alloy steel
7213 10 00 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process
7213 20 00 00	- Other, of free-cutting steel
	- Other
7213 91	- - Of circular cross-section measuring less than 14 mm in diameter
7213 91 10 00	- - - Of a type used for concrete reinforcement
7213 91 20 00	- - - Of a type used for tyre cord
	- - - Other
7213 91 41 00	- - - - Containing by weight 0,06 % or less of carbon
7213 91 49 00	- - - - Containing by weight more than 0,06 % but less than 0,25 % of carbon
7213 91 70 00	- - - - Containing by weight 0,25 % or more but not more than 0,75 % of carbon
7213 91 90 00	- - - - Containing by weight more than 0,75 % of carbon
7213 99	- - Other

7213 99 10 00	- - - Containing by weight less than 0,25 % of carbon
7213 99 90 00	- - - Containing by weight 0,25 % or more of carbon
<b>7214</b>	Other bars and rods of iron or non-alloy steel, not further worked than forged, hot-rolled, hot-drawn or hot-extruded, but including those twisted after rolling
7214 20 00 00	- Containing indentations, ribs, grooves or other deformations produced during the rolling process or twisted after rolling
7214 30 00 00	- Other, of free-cutting steel
	- Other
7214 91	- - Of rectangular (other than square) cross-section
7214 91 10 00	- - - Containing by weight less than 0,25 % of carbon
7214 91 90 00	- - - Containing by weight 0,25 % or more of carbon
7214 99	- - Other
	- - - Containing by weight less than 0,25 % of carbon
7214 99 10 00	- - - - Of a type used for concrete reinforcement
	- - - - Other, of circular cross-section measuring in diameter
7214 99 31 00	- - - - - 80 mm or more
7214 99 39 00	- - - - - Less than 80 mm
7214 99 50 00	- - - - Other
	- - - Containing by weight 0,25 % or more of carbon
	- - - - Of a circular cross-section measuring in diameter
7214 99 71 00	- - - - - 80 mm or more
7214 99 79 00	- - - - - Less than 80 mm
7214 99 95 00	- - - - Other
<b>7215</b>	Other bars and rods of iron or non-alloy steel
7215 90	- Other [than of free-cutting steel, not further worked than cold-formed or cold-finished; other than not further worked than cold formed or cold-finished]
7215 90 00 10	- - Hot-rolled, hot-drawn or extruded, not further worked than clad
<b>7216</b>	Angles, shapes and sections of iron or non-alloy steel

7216 10 00 00	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm
	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of less than 80 mm
7216 21 00 00	- - L sections
7216 22 00 00	- - T sections
	- U, I or H sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more
7216 31	- - U sections
7216 31 10 00	- - - Of a height of 80 mm or more but not exceeding 220 mm
7216 31 90 00	- - - Of a height exceeding 220 mm
7216 32	- - I sections
	- - - Of a height of 80 mm or more but not exceeding 220 mm
7216 32 11 00	- - - - With parallel flange faces
7216 32 19 00	- - - - Other
	- - - Of a height exceeding 220 mm
7216 32 91 00	- - - - With parallel flange faces
7216 32 99 00	- - - - Other
7216 33	- - H sections
7216 33 10 00	- - - Of a height of 80 mm or more but not exceeding 180 mm
7216 33 90 00	- - - Of a height exceeding 180 mm
	- L or T sections, not further worked than hot-rolled, hot-drawn or extruded, of a height of 80 mm or more
7216 40 10 00	- - L sections
7216 40 90 00	- - T sections
7216 50	- Other angles, shapes and sections, not further worked than hot-rolled, hot-drawn or extruded
7216 50 10 00	- - With a cross-section which is capable of being enclosed in a square the side of which is 80 mm
	- - Other

7216 50 91 00	- - - Bulb flats
7216 50 99 00	- - - Other
	- Other
	- - Other [than cold-formed or cold-finished from flat-rolled products]
7216 99 00 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
<b>7218</b>	Stainless steel in ingots or other primary forms; semi-finished products of stainless steel
7218 10 00 00	- Ingots and other primary forms
	- Other
7218 91	- - Of rectangular (other than square) cross-section
7218 91 10 00	- - - Containing by weight 2,5 % or more of nickel
7218 91 80 00	- - - Containing by weight less than 2,5 % of nickel
7218 99	- - Other
	- - - Of square cross-section
7218 99 11 00	- - - - Rolled or obtained by continuous casting
	- - - Other
7218 99 20 00	- - - - Rolled or obtained by continuous casting
<b>7219</b>	Flat-rolled products of stainless steel, of a width of 600 mm or more
	- Not further worked than hot-rolled, in coils
7219 11 00 00	- - Of a thickness exceeding 10 mm
7219 12	- - Of a thickness of 4,75 mm or more but not exceeding 10 mm
7219 12 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 12 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 13	- - Of a thickness of 3 mm or more but less than 4,75 mm
7219 13 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 13 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 14	- - Of a thickness of less than 3 mm
7219 14 10 00	- - - Containing by weight 2,5 % or more of nickel



7219 14 90 00	- - - Containing by weight less than 2,5 % of nickel
	- Not further worked than hot-rolled, not in coils
7219 21	- - Of a thickness exceeding 10 mm
7219 21 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 21 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 22	- - Of a thickness of 4,75 mm or more but not exceeding 10 mm
7219 22 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 22 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 23 00 00	- - Of a thickness of 3 mm or more but less than 4,75 mm
7219 24 00 00	- - Of a thickness of less than 3 mm
	- Not further worked than cold-rolled (cold-reduced)
7219 31 00 00	- - Of a thickness of 4,75 mm or more
7219 32	- - Of a thickness of 3 mm or more but less than 4,75 mm
7219 32 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 32 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 33	- - Of a thickness exceeding 1 mm but less than 3 mm
7219 33 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 33 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 34	- - Of a thickness of 0,5 mm or more but not exceeding 1 mm
7219 34 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 34 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 35	- - Of a thickness of less than 0,5 mm
7219 35 10 00	- - - Containing by weight 2,5 % or more of nickel
7219 35 90 00	- - - Containing by weight less than 2,5 % of nickel
7219 90	- Other
7219 90 80 00	- - Other [than perforated]
<b>7220</b>	Flat-rolled products of stainless steel, of a width of less than 600 mm

	- Not further worked than hot-rolled
7220 11 00 00	- - Of a thickness of 4,75 mm or more
7220 12 00 00	- - Of a thickness of less than 4,75 mm
7220 20	- Not further worked than cold-rolled (cold-reduced)
	- - Of a thickness of 3 mm or more, containing by weight
7220 20 21 00	- - - 2,5 % or more of nickel
7220 20 29 00	- - - Less than 2,5 % of nickel
	- - Of a thickness exceeding 0,35 mm but of less than 3 mm, containing by weight
7220 20 41 00	- - - 2,5 % or more of nickel
7220 20 49 00	- - - Less than 2,5 % of nickel
	- - Of a thickness not exceeding 0,35 mm, containing by weight
7220 20 81 00	- - - 2,5 % or more of nickel
7220 20 89 00	- - - Less than 2,5 % of nickel
7220 90	- Other
7220 90 80 00	- - Other [than perforated]
<b>7221</b>	Bars and rods, hot-rolled, in irregularly wound coils, of stainless steel
7221 00 10 00	- Containing by weight 2,5 % or more of nickel
7221 00 90 00	- Containing by weight less than 2,5 % of nickel
<b>7222</b>	Other bars and rods of stainless steel; angles, shapes and sections of stainless steel
	- Bars and rods, not further worked than hot-rolled, hot-drawn or extruded
7222 11	- - Of circular cross-section
	- - - Of a diameter of 80 mm or more, containing by weight
7222 11 11 00	- - - - 2,5 % or more of nickel
7222 11 19 00	- - - - Less than 2,5 % of nickel
	- - - Of a diameter of less than 80 mm, containing by weight
7222 11 81 00	- - - - 2,5 % or more of nickel

7222 11 89 00	- - - - Less than 2,5 % of nickel
7222 19	- - Other
7222 19 10 00	- - - Containing by weight 2,5 % or more of nickel
7222 19 90 00	- - - Containing by weight less than 2,5 % of nickel
7222 30	- Other bars and rods [other than not further worked than cold-formed or cold-finished and other than not further worked than hot-rolled, hot-drawn or extruded]
7222 30 97	- - Other [than forged]
7222 30 97 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
7222 40	- Angles, shapes and sections
7222 40 10 00	- - Not further worked than hot-rolled, hot-drawn or extruded
7222 40 90	- - Other [than not further worked than hot-rolled, hot-drawn or extruded; other than not further worked than cold-formed or cold-finished]
7222 40 90 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
<b>7224</b>	Other alloy steel in ingots or other primary forms; semi-finished products of other alloy steel
7224 10	- Ingots and other primary forms
7224 10 10 00	- - Of tool steel
7224 10 90 00	- - Other
7224 90	- Other
7224 90 02	- - Of tool steel
7224 90 02 29	- - - Of rectangular (including square) cross-section
	- - - Other
7224 90 02 89	- - - - Hot-rolled or obtained by continuous casting
	- - Other
	- - - Of rectangular (including square) cross-section
	- - - - Hot-rolled or obtained by continuous casting
	- - - - - The width measuring less than twice the thickness
7224 90 03 00	- - - - - Of high-speed steel

7224 90 05 00	- - - - - Containing by weight not more than 0,7 % of carbon, 0,5 % or more but not more than 1,2 % of manganese and 0,6 % or more but not more than 2,3 % of silicon; containing by weight 0,0008 % or more of boron with any other element less than the minimum content referred to in note 1(f) to this chapter
7224 90 07 00	- - - - - Other
7224 90 14 00	- - - - - Other
	- - - Other
	- - - - Hot-rolled or obtained by continuous casting
7224 90 31 00	- - - - - Containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum
7224 90 38 00	- - - - - Other
<b>7225</b>	Flat-rolled products of other alloy steel, of a width of 600 mm or more
	- Of silicon-electrical steel
7225 11 00	- - Grain-oriented
7225 11 00 10	- - - of a thickness exceeding 0.16 mm
7225 11 00 90	- - - other
7225 19	- - Other
7225 19 10 00	- - - Hot-rolled
7225 19 90 00	- - - Cold-rolled
7225 30	- Other, not further worked than hot-rolled, in coils
7225 30 10 00	- - Of tool steel
	- - Of high-speed steel
7225 30 30 10	- - - Not further worked than rolled; not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 30 90 00	- - Other
7225 40	- Other, not further worked than hot-rolled, not in coils
7225 40 12	- - Of tool steel
7225 40 12 30	- - - Of a thickness of 4,75 mm or more

7225 40 12 90	- - - Of a thickness less than 4,75 mm
7225 40 15	- - Of high-speed steel
7225 40 15 10	- - - Not further worked than rolled; not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
	- - Other
7225 40 40 00	- - - Of a thickness exceeding 10 mm
7225 40 60 00	- - - Of a thickness of 4,75 mm or more but not exceeding 10 mm
7225 40 90 00	- - - Of a thickness of less than 4,75 mm
7225 50	- Other, not further worked than cold-rolled (cold-reduced)
7225 50 20	- - Of high-speed steel
7225 50 20 10	- - - Not further worked than rolled; not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 50 80 00	- - Other than of high-speed steel
	- Other
7225 91	- - Electrolytically plated or coated with zinc
7225 91 00 10	- - - Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 92	- - Otherwise plated or coated with zinc
7225 92 00 10	- - - Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 99	- - Other
	- - - Not further worked than surface-treated, including cladding or simply cut into shapes other than rectangular (including square)
7225 99 00 11	- - - - Painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70% or more of zinc) and excluding products with a substrate with a metallic coating of chromium or tin
7225 99 00 19	- - - - Other
<b>7226</b>	Flat-rolled products of other alloy steel, of a width of less than 600 mm
	- Of silicon-electrical steel

7226 11	-- Grain-oriented
	--- Of a width exceeding 500 mm
7226 11 00 11	---- Of a thickness exceeding 0,16 mm
7226 11 00 19	---- Other
7226 19	-- Other
7226 19 10 00	--- Not further worked than hot-rolled
7226 19 80	--- Other
7226 19 80 10	---- Of a width exceeding 500 mm
7226 20	- Of high-speed steel
7226 20 00 10	-- Not further worked than hot-rolled; of a width not exceeding 500 mm, hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than cold-rolled (cold-reduced) or not further worked than surface-treated, including cladding
	- Other
7226 91	-- Not further worked than hot-rolled
7226 91 20 00	--- Of tool steel
	--- Other
7226 91 91 00	---- Of a thickness of 4,75 mm or more
7226 91 99 00	---- Of a thickness of less than 4,75 mm
7226 92	-- Not further worked than cold-rolled (cold-reduced)
7226 92 00 10	--- Of a width exceeding 500 mm
	-- Other
7226 99 10 00	--- Electrolytically plated or coated with zinc
7226 99 30 00	--- Otherwise plated or coated with zinc
	--- Other
	---- Of a width not exceeding 500 mm, hot-rolled, not further worked than clad; of a width exceeding 500 mm, not further worked than surface-treated, including cladding
7226 99 70 11	----- Painted, varnished or coated with plastics on at least one side, excluding products with a final coating of zinc-dust (a zinc-rich paint, containing by weight 70% or more of zinc) and excluding products with

	a substrate with a metallic coating of chromium or tin
7226 99 70 19	- - - - - Other
<b>7227</b>	Bars and rods, hot-rolled, in irregularly wound coils, of other alloy steel
7227 10 00 00	- Of high-speed steel
7227 20 00 00	- Of silico-manganese steel
7227 90	- Other
7227 90 10 00	- - Containing by weight 0,0008 % or more of boron with any other element less than the minimum content referred to in note 1(f) to this chapter
7227 90 50 00	- - Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if present, not more than 0,5 % of molybdenum
7227 90 95 00	- - Other
<b>7228</b>	Other bars and rods of other alloy steel; angles, shapes and sections, of other alloy steel; hollow drill bars and rods, of alloy or non-alloy steel
7228 10	- Bars and rods, of high-speed steel
7228 10 20 00	- - Not further worked than hot-rolled, hot-drawn or extruded; hot-rolled, hot-drawn or extruded, not further worked than clad
7228 20	- Bars and rods, of silico-manganese steel
7228 20 10	- - Of rectangular (other than square) cross-section, hot-rolled on four faces
7228 20 10 10	- - - Not further worked than hot-rolled, hot-drawn or extruded
	- - - Other
7228 20 10 91	- - - - Hot-rolled, hot-drawn or extruded, not further worked than clad
	- - Other
7228 20 91 00	- - - Not further worked than hot-rolled, hot-drawn or extruded; hot-rolled, hot-drawn or extruded, not further worked than clad
7228 30	- Other bars and rods, not further worked than hot-rolled, hot-drawn or extruded
7228 30 20 00	- - Of tool steel
	- - Containing by weight 0,9 % or more but not more than 1,15 % of carbon, 0,5 % or more but not more than 2 % of chromium and, if

	present, not more than 0,5 % of molybdenum
7228 30 41 00	- - - Of circular cross-section of a diameter of 80 mm or more
7228 30 49 00	- - - Other
	- - Other
	- - - Of circular cross-section, of a diameter of
7228 30 61 00	- - - - 80 mm or more
7228 30 69 00	- - - - Less than 80 mm
7228 30 70 00	- - - Of rectangular (other than square) cross-section, hot-rolled on four faces
7228 30 89 00	- - - Other
7228 60	- Other bars and rods [than not further worked than forged; other than not further worked than cold-formed or cold-finished]
7228 60 20	- - Of tool steel
7228 60 20 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
7228 60 80	- - Other
7228 60 80 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
7228 70	- Angles, shapes and sections
7228 70 10 00	- - Not further worked than hot-rolled, hot-drawn or extruded
	- - Other
7228 70 90 10	- - - Hot-rolled, hot-drawn or extruded, not further worked than clad
7228 80 00 00	- Hollow drill bars and rods
<b>7301</b>	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements; welded angles, shapes and sections, of iron or steel
7301 10 00 00	- Sheet piling
<b>7302</b>	Railway or tramway track construction material of iron or steel, the following: rails, check-rails and rack rails, switch blades, crossing frogs, point rods and other crossing pieces, sleepers (cross-ties), fish-plates, chairs, chair wedges, sole plates (base plates), rail clips, bedplates, ties and other material specialised for jointing or fixing rails
7302 10	- Rails



	- - Other [than current-conducting, with parts of non-ferrous metal]
	- - - New
	- - - - Vignole rails
7302 10 22 00	- - - - - Of a weight per metre of 36 kg or more
7302 10 28 00	- - - - - Of a weight per metre of less than 36 kg
7302 10 40 00	- - - - Grooved rails
7302 10 50 00	- - - - Other
7302 10 90 00	- - - Used
7302 40 00 00	- Fish-plates and sole plates
7302 90 00 00	- Other